



SKHMC :: Vehicle maintenance

Maintenance Report

The maintenance details for vehicles

Sl No	Bill No	Date	Service	Vehicle	Parts	Cost
1	192	16-01-2018	Amman auto works Amman auto works , kulasekharam , K K dist , Tamil nadu 0	TN-74-V-9142	Repairing (Qty=, Price=450)	Rs. 450.00
2	995	17-01-2018	JP TYRE & AUTOMOBILES JP TYRE & AUTOMOBILES, THIRVARAMBU ROAD, KULASEKHARAM 0	TN-75-S-8120	TYRES 3 NOS FOR HEAVEY VEHICLE (WATER TANK)(Qty=, Price=15000)	Rs. 15,000.00
3	2394	20-01-2018	Sarawathy Auto Moblies Sarawathy Auto Moblies, kulasekharam , K K dist , Tamilnadu 0	TN-74-W-9122	Bottam Channel and solution (Qty=1, Price=210) (Qty=, Price=0)	Rs. 210.00
4	411	24-01-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES, KULASEKHARAM 0	TN-74-W-9122	OIL FILTER(Qty=, Price=290) ENGINE OIL 6 LTR(Qty=, Price=1450) DIESEL FILTER(Qty=, Price=240) WASTE(Qty=, Price=10) GREESE 1 KG(Qty=, Price=320) GEAR OIL 1 LTR(Qty=, Price=260)	Rs. 2,600.00
5	413	26-01-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES, KULASEKHARAM 0	TN-74-W-9122	BREAK OIL(Qty=, Price=75) WHEEL SYLINDER BREAK (Qty=, Price=580) WAHSER(Qty=, Price=40) LACH WASHER(Qty=, Price=120) OIL SEAL(Qty=, Price=150) WHEEL BEARING SKF -3(Qty=, Price=1740) SIDE WASHER - 15 NOS(Qty=, Price=60) R.C LOVER (Qty=, Price=120)	Rs. 2,885.00
Total						Rs. 21,145.00

Print report



PRINCIPAL
SARADA KRISHNA HOMOEPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT
TAMIL NADU - 629 161

Maintenance Report

The maintenance details for vehicles

SI No	Bill Date	Service	Vehicle	Parts	Cost
1	201 09-02-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, TINKERING, PAINTING, KULASEKHARAM, K.K. DIST, TAMILNADU 0	TN-74-W-9122	4 WHEEL GREES ACH-8(Qty=, Price=1200) ENG OIL CHANGING(Qty=, Price=200) SPRING PLATE SIDE WASHER CHANGE (Qty=, Price=400) OIL CHANGING(Qty=, Price=250) DOOR LOCK AND DOOR GLASS FRONT CHANGING(Qty=, Price=300)	Rs. 2,350.00
2	421 01-02-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES, KULASEKHARAM 0	TN-76-V-9292	ENGINE OIL - 7.5 LTR(Qty=, Price=2100) OIL FILTER(Qty=, Price=240) WASTE(Qty=, Price=10) AIR FILTER(Qty=, Price=390) BREAK OIL 250 GM(Qty=, Price=75)	Rs. 2,815.00
3	206 01-02-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, KULASEKHARAM, K.K. DIST, TAMILNADU -629161 0	TN-76-V-9292	ENGINE OIL CHANGE(Qty=, Price=200) BALANCE RAD BUSH 4 NOS(Qty=, Price=120) BALANCE RAD SETTING(Qty=, Price=200) COMPLETE CHEKING(Qty=, Price=200)	Rs. 720.00
4	426 13-02-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES DHN BUILDINGS, ARASUMOODU JN. KULASEKHARAM -629161 0	TN-75-T-9546	OIL 7.5 LTR (39477 KMS)(Qty=, Price=2100) OIL FILTER(Qty=, Price=350) DIESEL FILTER-2(Qty=, Price=230) BREAK OIL 250 ML(Qty=, Price=75) WASTE-2(Qty=, Price=20) CAR SHAMPOO(Qty=, Price=60)	Rs. 2,835.00
5	212 13-02-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS KULASEKHARAM, K K DIST, TAMILNADU 0	TN-75-T-9546	ENGINE OIL CHANGE(Qty=, Price=250) COMPLETE CHECKING(Qty=, Price=200) 4 WHEEL BRANCH CHANGING(Qty=, Price=200)	Rs. 650.00
6	214 14-02-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS KULASEKHARAM, K K DIST, TAMILNADU -629161 0	TN-63-AZ-8302	WHEEL CYLINDER CHANGING(Qty=, Price=250) HAND BREAK RE-SETTING(Qty=, Price=300)	Rs. 550.00

Maintenance Report

The maintenance details for vehicles

SI No	Bill Date	Service	Vehicle	Parts	Cost
1	876 14-03-2018	SUVETHA FORCE SUVETHA FORCE A-1/4-B,ARIANAYAGAM COMPOUND ,KATTAYANVILAI, VETTURINIMADAM. P.O NAGARCOIL . 629003 2147483647	TN-75-F-7143	CLUTCH SLAVE CYL.ASSY. FOR T - 1(Qty=01, Price=1245) CLUTCH RELEASE BRG(Qty=01, Price=825) RELEASE YOKE(Qty=01, Price=300) RUBBER ENG.MTG(Qty=01, Price=16) BUSHING 4(Qty=01, Price=10) AIR FILTER ELEMENT PLASTIC(Qty=01, Price=445) BEARING BUSH 4(Qty=03, Price=75) BEARING MOUNTING FOR GEAR SHIFT (L) (Qty=01, Price=49) SLIDING BLOCK 1(Qty=01, Price=25) PAD(Qty=02, Price=36) END COVER/GEAR(Qty=01, Price=26) EX REAR VIEW MIRROR RH(Qty=01, Price=1040) CONSUMABLE(Qty=1.00 KG, Price=100) CLUTCH RELEASE BEARING AND YOKE REPLACE(Qty=, Price=2000) GENERAL CHECKUP(Qty=, Price=350) AIR FILTER REPLACE(Qty=, Price=50) REAR VIEW MIRROR REPLACE(Qty=, Price=50) CGST@9%(Qty=, Price=335) SGST@9%(Qty=, Price=335) CGST@2.5%(Qty=, Price=3) SGST@2.5%(Qty=, Price=3) CGST@14%(Qty=, Price=395) SGST@14%(Qty=, Price=395) ROUND OFF(Qty=, Price=0)	Rs. 8,107.00
2	228 07-03-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS , KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-59-AU-1011	4 WHEEL BREAK CHECKING (SERVICE (Qty=, Price=200) COMPLETE BODY CHECKING(Qty=, Price=200)	Rs. 400.00
3	229 13-03-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS , KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-74-W-9122	4 WHEEL BREAK CHECKING (SERVICE (Qty=, Price=200)	Rs. 200.00

Maintenance Report

The maintenance details for vehicles

Sl No	Bill No	Date	Service	Vehicle	Parts	Cost
1	449	17-04-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES DHN BUILDINGS, ARASU MOODU JN, KULASEKHARAM, K K DIST , TAMILNADU - 629161 0	TN-24-AF- 1166	FAN BELT(Qty=01, Price=200)	Rs. 200.00
2	302	18-04-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-24-AF- 1166	FAN BELT CHANGING (SERVICE)(Qty=01, Price=400)	Rs. 400.00
3	333	19-04-2018	A.R TYRES A.R TYRES CONVENT JN. KULASEKHARAM 0	TN-74-V-9142	AIR CHECKING(Qty=1, Price=30)	Rs. 30.00
4	333	19-04-2018	A.R TYRES A.R TYRES CONVENT JN. KULASEKHARAM, K.K.DIST, (T.N) 0	TN-75-Q-7418	TUBLESS PUNCHER WHEEL FITTING(Qty=1, Price=120)	Rs. 120.00
5	144	19-04-2018	G.G MARUTI GUIDES G.G MARUTI GUIDES UNNAMALAIKADAI ROAD KANJIRACODE - 629155 0	TN-72-L-0020	ENGINE OIL (68030 KMS)(Qty=1, Price=855) OIL FILTER(Qty=1, Price=100) OIL STICK(Qty=1, Price=60) SEAT LIVER(Qty=2, Price=90) DISTRIBUTER ORING(Qty=1, Price=20) ENGINE OIL CHANGE (SERVICE)(Qty=1, Price=350)	Rs. 1,475.00
6	451	19-04-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES DHN BUILDINGS, ARASU MOODU JN, KULASEKHARAM, K K DIST , TAMILNADU - 629161 0	TN-72-L-0020	BREAK OIL 1/4 KG(Qty=1, Price=90)	Rs. 90.00
7	1498	25-04-2018	P.S.N ALUMINIUM HARDWRE P.S.N ALUMINIUM HARDWRE Fr. M.X.R. COMPLEX, MARTHANDAM, K.K.DIST, T.N 0	TN-74-V-9142	19/6 SCREW(Qty=50, Price=20) WASHER(Qty=10, Price=3)	Rs. 23.00

Maintenance Report

The maintenance details for vehicles

SI No	Bill No	Date	Service	Vehicle	Parts	Cost	
1	NIL	07/05/18	12-05-2018	ANNAI DIESEL PUMP WORKS VINAYAGAR STREET, CHETTIKULAM JN, NAGERCOIL (T N) 0	DIESEL PUMP 1 & 2 (KOCHHUVEETUPARAI)	PUMP AND NOSSELS (SERVICE CHARGE)(Qty=02, Price=1200)	Rs. 1,200.00
2	514	DATE 07/05/18	12-05-2018	MURUGAN ENG. WORKS MURUGAN ENG. WORKS KAYALSTHALAM, KULASEKHARAM T.N 0	DIESEL PUMP 1 & 2 (KOCHHUVEETUPARAI)	BOLT WELDING AND BET. DRILLING(Qty=01, Price=350)	Rs. 350.00
3	977	DATE 07/05/18	12-05-2018	M.M HARDWARE AND PAINTS M.M HARDWARE AND PAINTS KULASEKHARAM, K.K DIST (T N) 0	DIESEL PUMP 1 & 2 (KOCHHUVEETUPARAI)	BOLT NUT AND WASHER(Qty=01, Price=160)	Rs. 160.00
4	NIL	DATE 07/05/18	12-05-2018	KUTTALINGAM KUTTALINGAM, NAGERCOIL, K.K. DIST, T.N 0	DIESEL PUMP 1 & 2 (KOCHHUVEETUPARAI)	1.75M 2" BELT(Qty=01, Price=600)	Rs. 600.00
26	2472	DATE 04/05/18	30-05-2018	N.V.N AUTO SERVICES N.V.N AUTO SERVICES THUCKLY ROAD, MAWOODU, KULASEKHARAM K.K DIST, TAMILNADU 0	TN-74-U-4450	FULL SERVICE(Qty=1, Price=850)	Rs. 850.00
27	2486	DATE 01/05/2018	30-05-2018	N.V.N AUTO SERVICES N.V.N AUTO SERVICES THUCKLY ROAD, MAWOODU, KULASEKHARAM K.K DIST, T.N 0	TN-74-V-9142	WASHING SERVICE(Qty=1, Price=250)	Rs. 250.00

Total Rs. 39,935.00

Print report

Maintenance Report

The maintenance details for vehicles

Sl No	Bill No	Date	Service	Vehicle	Parts	Cost
1	2526	01-06-2018	N.V.N AUTO SERVICES N.V.N AUTO SERVICES THUCKLAY ROAD, MAMMOODU, KULASEKHARAM. K.K DIST. T.N 0	TN-75-S-8120	WASHING AND GREENSING(Qty=1, Price=400)	Rs. 400.00
2	478	02-06-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES DHN BUILDINGS, ARASU MOODU JN, KULASEKHARAM, K K DIST, TAMILNADU - 629161 0	TN-76-V-9292	OIL 7.5 LTR (K.M 122400)(Qty=1, Price=1750) OIL FILTER(Qty=1, Price=240) WASTE(Qty=1, Price=10)	Rs. 2,000.00
3	317	02/06/2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-76-V-9292	ENGINE OIL CHANGING (SERVICE)(Qty=1, Price=200)	Rs. 200.00
4	33AADCK1866E1.7.9 DATE 04/06/18	05-06-2018	MAHINDRA MAHINDRA, PARVATHIPURAM, NAGARCOIL K.K DIST, TAMIL NADU 0	TN-76-V-9292	RIGHT SIDE MIRROR(Qty=1, Price=538)	Rs. 538.00
5	479	05-06-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES DHN BUILDINGS, ARASU MOODU JN, KULASEKHARAM, K K DIST, TAMILNADU - 629161 0	TN-75-Q-7418	OIL 10 LTR (K.M - 82948 (Qty=1, Price=2700) OIL FILTER (Qty=1, Price=240) WASTE(Qty=1, Price=10) INSULATION TAP(Qty=1, Price=10)	Rs. 2,960.00
6	321	05/06/2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-75-Q-7418	ENGINE OIL CHANGING (SERVICE) & COMPLETE CHECK(Qty=1, Price=400)	Rs. 400.00
7	10	DATE 31/05/2018	SRI MOOKAMBICA ELECTRIC SRI MOOKAMBICA ELECTRIC, KULASEKHARAM, K.K.DIST, TAMILNADU 0	TN-75-T-9546	BATTERY, ACID CHANGING AND CHARGING(Qty=1, Price=600)	Rs. 600.00

Maintenance Report

The maintenance details for vehicles

Sl No	Bill No	Date	Service	Vehicle	Parts	Cost
1	168	29/06/2018	SUBHASH CAR PAINTING SUBHASH CAR PAINTING ERAVIPUTHHOORKADAI, K.K.DIST, TAMILNADU 0	TN-24-AF-1166	FULL POLISH & WHEEL DRUM PAINTING(Qty=1, Price=4000)	Rs. 4,000.00
2	NIL	06-2018	NIL NIL 0	TN-24-AF-1166	DRIVER EXPENSE (F.C) (V. ASHOKAN)(Qty=1, Price=100)	Rs. 100.00
3	1782	02-07-2018	JOSE & JOSE JOSE & JOSE CHIRAYANKUZHI JN, KANJIRACODE , (NEAR RTO OFFICE) MARTHANDAM , TAMILNADU 0	TN-24-AF-1166	RCE STICKER. CHASE PRINT, NUMBER PLATE (Qty=1, Price=1610)	Rs. 1,610.00
4	344	07-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS , KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-72-L-0020	GEAR LEVER RACE SETTING(Qty=1, Price=150) 4 WHEEL BREAK CHECKING(Qty=1, Price=250) DOOR ADJUST(Qty=1, Price=100)	Rs. 500.00
5	232	02/07/2018	APOLLO GRIP TYRES APOLLO GRIP TYRES EXCLUSIVE DEALER PAMMAM , K,K.DIST, TAMIL NADU 0	TN-59-AU-1011	WHEEL ALIGNMENT(Qty=1, Price=350) WHEEL BALANCING(Qty=4, Price=300) TYRE CHANGING(Qty=4, Price=200) TUBELESS NECK(Qty=4, Price=400)	Rs. 1,250.00
6	223	07-2018	APOLLO GRIP TYRES TYRES EXCLUSIVE DEALER PAMMAM , MARTHANDAM , K,K DIST, TAMILNADU 0	TN-75-Q-7418	WHEEL ALIGNMENT(Qty=4, Price=350) WHEEL BALANCING(Qty=4, Price=300) TUBELESS NECK(Qty=4, Price=400)	Rs. 1,050.00
7	958	02/07/2018	APOLLO GRIP TYRES APOLLO GRIP TYRES PULLUVILAI, KANJIRACODE K,K.DIST, TAMILNADU 0	TN-75-Q-7418	215/75/R15 APOLLO APTERRA H/T TL (TYRES)(Qty=4, Price=24400)	Rs. 24,400.

Maintenance Report

The maintenance details for vehicles

SI No	Bill No	Date	Service	Vehicle	Parts	Cost
1	301 DATE 27/07/2018	02-08-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES DHN, BUILDING, ARASUMOODU JN, KULASEKHARAM, K, K DIST TAMILNADU 0	TN-74-V- 9142	RADIATOR CAP(Qty=1, Price=50)	Rs. 50.00
2	362 DATE 03/08/2018	03-08-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, KULASEKHARAM, K.K.DIST, TAMILNADU -629161 0	TN-75-T- 9546	4 WHEEL BREAK CHECKING(Qty=1, Price=200) 4 WHEEL SHAKE CHECKING(Qty=1, Price=100)	Rs. 300.00
3	1773 DATE 02/08/2018	04-08-2018	A. THANKAPPAN HARDWARES A. THANKAPPAN HARDWARES MARKET ROAD, MARTHANDAM - 629165 0	TN-74-W- 9122	16 SGPIL 1915 SHEET (PATCH WORK)(Qty=1, Price=1500) PRIMER(Qty=1, Price=150) BRUSH(Qty=1, Price=30)	Rs. 1,680.00
4	363 DATE 04/08/18	04-08-2018	A.R TYRES A.R TYRES, CONVENT JN. KULASEKHARAM, K.K.DIST, (T.N) 0	TN-75-F- 7143	AIR CHECKING(Qty=1, Price=30)	Rs. 30.00
5	363 DATE 04/08/18	04-08-2018	A.R TYRES A.R TYRES, CONVENT JN. KULASEKHARAM, K.K.DIST, (T.N) 0	KL-01--BY- 3006	AIR CHECKING(Qty=1, Price=20)	Rs. 20.00
6	363 DATE 04/08/18	04-08-2018	A.R TYRES A.R TYRES, CONVENT JN. KULASEKHARAM, K.K.DIST, (T.N) 0	TN-72-L- 0020	TYRE FITTING AND PUNCHER(Qty=1, Price=60)	Rs. 60.00
7	2630 DATE 4/8/18	04-08-2018	N.V.N.AUTO SERVICE N.V.N.AUTO SERVICE THUCKLY ROAD, ,MAMOODU, KULASEKHARAM 0	TN-74-V- 9142	WASHING AND GREESING(Qty=1, Price=250)	Rs. 250.00
8	NIL DATE 01-08-2018	08-08-2018	MOOKAMBIKA ELECTRICAL MOOKAMBIKA A/C AUTO ELECTRICALS, KULASEKHARAM, K.K.DIST, T.N 0	TN-24-AF- 1166	DIESEL TANK REMOVE AND REFITTING (Qty=1, Price=300) FLOOD CHANGE & LABOUR (Qty=1, Price=350)	Rs. 650.00
9	2126 DATE 03/08/2018	09-08-2018	ST. JOHNS AUTO ELECTRICAL BATTERY SALES & SERV ST. JOHNS AUTO ELECTRICAL BATTERY SALES & SERVICE MARTHANDAM, K.K.DIST, TAMILNADU 0	TN-75-F- 7143	REGULATOR(Qty=1, Price=815) STEEL SPRING(Qty=1, Price=290) FRESH(Qty=1, Price=200)	Rs. 1,305.00

Maintenance Report

The maintenance details for vehicles

SI No	Bill No	Date	Service	Vehicle	Parts	Cost
1	572 DATE 31/08/2018	01-09-2018	MURUGAN ENGINEERING WORKS MURUGAN ENGINEERING WORKS KAVALTHALAM, KULASEKHARAM, K.K DIST, TAMILNADU -629161	TN-75-U-9553	CLAMPMAKING WITH OXYGEN CYLINDER (Qty=1, Price=300)	Rs. 300.00
2	NIL DATE 03/09/2018	03-09-2018	MOOKAMBIKA MOOKAMBIKA A/C AUTO ELECTRICALS, KULASEKHARAM, K.K.DIST, T.N	TN-75-U-9553	FULL LIGHT CHECKUP AND LABOUR CHARGE(Qty=1, Price=100)	Rs. 100.00
3	180 DATE 31/08/2018	04-09-2018	SUBASH CAR PAINTING SUBASH CAR PAINTING ERAVIPUTHOOR KADAI K.K DIST, TAMILNADU	TN-75-U-9553	POLISH, WHEEL RIM PAINGING, WHITE COLOR PAIN(Qty=1, Price=3500)	Rs. 3,500.00
4	381 DATE 03/09/2018	04-09-2018	AMMAN AUTO WORKS AMMAN AUTO WORKS, KULASEKHARAM, K.K.DIST, TAMILNADU -629161	TN-75-U-9553	4 DOOR LOCKS HANDLE REMOVING AND REFITTING (F(Qty=1, Price=600)	Rs. 600.00
5	67 DATE 04/08/18	04-09-2018	TCR STICKER FLEX TCR STICKER FLEX NEAR RANGER OFFICE,KULASEKHARAM	TN-75-U-9553	NUMBER(Qty=1, Price=350) NAME WORK(Qty=1, Price=1800) BODY STICKER(Qty=1, Price=1500)	Rs. 3,650.00
6	1743 DATE 04/09/2018	05-09-2018	BHAKIA SREE AUTO ELECTRICALS BHAKIA SREE AUTO ELECTRICALS PAMMAM, MARTHANDAM. KK DIST, T.N	TN-75-U-9553	FAN WIRING AND LABOUR CHARGE(Qty=1, Price=100)	Rs. 100.00
7	1067 DATE 04/09/2018	05-09-2018	BENS AUTO SPARES BENS AUTO SPARES MAIN ROAD, MARTHADNAM. KK.DIST, T.N	TN-75-U-9553	12 VOLT FAN(Qty=1, Price=390)	Rs. 390.00

Maintenance Report

The maintenance details for vehicles

SI No	Bill No	Date	Service	Vehicle	Parts	Cost
1	391 DATE 28/09/2018	01-10-2018	SREEDHAR AUTOMOBILES SREEDHAR AUTOMOBILES 0	TN-74-W-9122	A/B GRECE 211-C(Qty=1, Price=260) SIDE MIRROR(Qty=1, Price=140) MED FLATS(Qty=1, Price=200) WASTE-2(Qty=1, Price=20)	Rs. 620.00
2	NIL DATE 29/09/2018	01-10-2018	S.R.MOTORS WORKS S.R.MOTORS WORKS PUTHENKADAI, THIRUVATTAR, K.K DIST , TAMILNADU 0	TN-75-F-7143	REAR DOOR LOCK CHANGING(Qty=1, Price=0) REAR DOOR LOCK, INNERHANDLE WITH RAD CHANGIN(Qty=1, Price=0) STACKAR PLATE CHANGING(Qty=1, Price=0) 2 STOPPER HATTI(Qty=1, Price=0) 4 LH FRONT DOOR INNER OPEN LOCK CHANGING(Qty=1, Price=0) REAR DOOR FULL CHECKUP(Qty=1, Price=0) LABOUR CHARGE. (Qty=1, Price=1700)	Rs. 1,700.00
3	188 date 1/10/2018	04-10-2018	SUBASH CAR PAINTING SUBASH CAR PAINTING ERAVUTHOORAKADAI, K.K. DIST , TAMILNADU 0	TN-75-F-7143	REAR DOOR PAINTING(Qty=1, Price=0) WHEEL REIM PAINTING(Qty=1, Price=0) FULL POLISH(Qty=1, Price=0) BLACK COLOUR PAINTING(Qty=1, Price=0) FRONT PUMBER PAINTING(Qty=1, Price=0) REAR PUMBR PAINTING(Qty=1, Price=7000)	Rs. 7,000.00
4	1141 DATED 03/10/2018	03-10-2018	M.M.HARDWARE AND PAINTS M.M.HARDWARE AND PAINTS ARSAMOORU JN. KULASEKHARAM K.K.DIST, TAMILNADU 0	TN-74-W-9122	SEAT BOLT(Qty=1, Price=70)	Rs. 70.00
5	1139 DATE 01/10/2018	05-10-2018	M.M.HARDWARE AND PAINTS M.M.HARDWARE AND PAINTS ARSAMOORU JN , KULASEKHARAM, K.K.DIST , TAMILNADU 0	TN-74-W-9122	BOLT WASHER(Qty=1, Price=50)	Rs. 50.00



SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANNAKUMARI DISTRICT,
TAMIL NADU - 629 161



SKHMC :: Fuel Report

Fuel Report

The Fuel Filled and mileage details for vehicles

Sl No	Vehicle	Fuel Filled	Filled Date	Starting KM	Ending KM	Total KM	Average KM	Fuel per liter	Cost
1	TN-75-F-7143	53.39	01-03-2018	98962	99387	425	7.9603	66.5293	Rs. 3,552.00
2	TN-72-L-0020	15	01-03-2018	67216	67371	155	10.3333	75.1333	Rs. 1,127.00
4	TN-76-V-9292	46.06	03-03-2018	118366	118990	624	13.5475	66.9996	Rs. 3,086.00
5	TN-75-Q-7418	52.65	05-03-2018	79170	79792	622	11.8139	67.2175	Rs. 3,539.00
6	TN-74-W-9122	42.92	07-03-2018	52095	52653	558	13.0009	67.2880	Rs. 2,888.00
10	TN-75-T-9546	42.95	08-03-2018	40333	40650	317	7.3807	67.2410	Rs. 2,888.00
11	TN-75-S-8120	265	08-03-2018	31498	32208	710	2.6792	67.2302	Rs. 17,816.00
12	TN-75-F-7143	45.71	10-03-2018	99387	99737	350	7.6570	67.2063	Rs. 3,072.00
13	TN-72-L-0020	15	12-03-2018	67371	67497	126	8.4000	76.0667	Rs. 1,141.00
14	TN-24-AE-1166	38.60	13-03-2018	23192	23535	343	8.8860	67.1762	Rs. 2,593.00
15	TN-59-AU-1011	33.25	14-03-2018	90486	91006	520	15.6391	67.1579	Rs. 2,233.00
16	TN-74-V-9142	41.06	15-03-2018	93727	94029	302	7.3551	67.1943	Rs. 2,759.00
18	TN-76-V-9292	46.91	16-03-2018	118990	119516	526	11.2130	67.1285	Rs. 3,149.00
19	TN-75-F-7143	37.67	16-03-2018	99737	100159	422	11.2025	67.1091	Rs. 2,528.00
21	GEN SET 125 KVA (SKHMC)	90	19-03-2018	32.15	47	14.85	0.1650	67.0444	Rs. 6,034.00
23	TN-63-AZ-8302	10	19-03-2018	70400	70593	193	19.3000	76.1000	Rs. 761.00
24	TN-75-T-9546	41.42	20-03-2018	40650	40960	310	7.4843	67.1173	Rs. 2,780.00
25	TN-72-L-0020	15	22-03-2018	67497	67669	172	11.4667	75.8667	Rs. 1,138.00
26	TN-75-F-7143	45.02	24-03-2018	100159	100623	464	10.3065	67.5478	Rs. 3,041.00
27	TN-76-V-9292	44.10	26-03-2018	119516	120058	542	12.2902	68.0272	Rs. 3,000.00
29	TN-75-T-9546	39.4	26-03-2018	40960	41302	342	8.4802	67.5888	Rs. 2,663.00
31	TN-72-L-0020	10	29-03-2018	67669	67779	110	11.0000	76.7000	Rs. 767.00

Print report



PRINCIPAL
 SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
 KULASHEKHARAN, KANYAKUMARI DISTRICT,
 TAMIL NADU - 629 151

Date	Vehicle No	Defects	Sign of driver	Rectified	Sign of supervisor
28. 2. 17	TN. 59. AV 1011	BATTERY. Complaint	A. Shun	29. 2. 17.	
5. 3. 17	TN. 72. L 0020	Door Lock Complaint	A. Shun	8. 3. 17	
5. 3. 17	TN. 74. U 9142	we need wheel lifting scale	BABU	18. 3. 17	
15. 3. 17	TN. 74. U 7169	grass w/mtr. Complaint	ASHOKAN	16. 3. 17	
17. 3. 17	TN. 76. V 9292	Low BRAKE	ASHOKAN	18. 3. 17	
17. 3. 17	TN. 74. U 9142	wheel cylinder leakage	BABU	17. 3. 17	
10. 3. 17	TN. 75. X 7418	A-C LOW cooling	VINODH	20. 3. 17	
5/04/17	TN. 74. U 9450	Diesel leakage from injector pipe	VINODH	5/04/17	

4-10-16 TN-75W 9122 UHREEL CYLINDER LEAKAGE

8-10-16 TN-75S 8120 F.C WORK

13-11-16 TN-76V 9292 engine oil change to be dain

01-12-16 TN-75W 7418 clutch complaint

24/12/16 TN-76W 9122 Brake complaint.

25-12-16 TN-72L 0020 Radiator coolant LEAKAGE

15/02/17 TN-76V 9292 Low Brake

17-2-17 TN-75-F 7143 Fan Belt complaint

ASHOKAN 4-10-16

ASHOKAN 8-10-16

VINODH 13/11/16

VINODH 02-12-16

VINODH 24/12/16

BABU 25-12-16

VINODH 16/02/17

A: SHUK 17-2-17

~~Signature~~

~~Signature~~

~~Signature~~

~~Signature~~

~~Signature~~

~~Signature~~

~~Signature~~

~~Signature~~

~~Signature~~





Sarada Krishna
Homoeopathic Medical College
Kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX (COLLEGE BLOCK)

System SI No	Name of equipment	Date of OS installation	Place of installation	Remarks
01	Lap Top Dell (ASUS)	11/05/2008	Class Room	
02	Desk Top PC (SKHMC PC)	14/10/2014	Library Computer Lab	
03	Desk Top PC (NEW PC)	30/05/2014	Library koha	
04	Desk Top PC (USER PC)	27/06/2014	Library	
06	Desk Top PC (INTEL PC)	28/09/2015	Advisor	
08	Desk Top PC (WINDOWS IQAC PC)	10/02/2015	IQAC	
09	Desk Top PC (COMPUTERLAB PC)	08/07/2015	Library Computer Lab	
10	Desk Top PC (AITAFEU)	07/10/2015	Library Computer Lab	
12	Desk Top PC (SYS-1)	06/11/2015	ICT	
14	Desk Top PC (AJE594A)	07/11/2015	Library Computer Lab	
15	Desk Top PC (NEW PC)	23/01/2016	Department of Materia Medica	
16	Desk Top PC (ORGANON OF MEDICI)	23/01/2016	Department of Organon	
17	Desk Top PC (NEW PC)	23/01/2016	Department of Practice of Medicine	
18	Desk Top PC (NEW PC)	23/01/2016	Department of Paediatrics	
20	Desk Top PC (WINDOWS PC)	04/06/2016	Pathology Lab	
21	Desk Top PC (SERVER)	27/06/2016	Administration Office Cash-2	
22	Desk Top PC (ICT-3)	01/07/2016	ICT	
23	Lap Top Dell (SMILE PC)	12/07/2016	IQAC/ICT	
24	Lap Top Dell Inspiron (SARADA KRISHNA)	13/07/2016	Conference Hall	
30	Desk Top PC (SKHMC PC)	01/09/2016	Library Computer Lab	
31	Desk Top PC (NEW PC)	10/09/2016	Department of Repertory	
32	Lap Top Dell (HCL)	14/10/2016	Class Room	
39	Desk Top PC (ESTATE)	17/11/2016	Estate Manager	
40	Desk Top PC (USER -1)	17/11/2016	Administration Office A1	
41	Desk Top PC (PINK)	17/11/2016	Administration Office.E1	
43	Desk Top PC (ACCOUNT PC)	20/02/2017	Administration Office Accounts-F1	
44	Desk Top PC (SKHMC PC)	03/03/2017	Library Computer Lab	

PRINCIPAL

Sarada Krishna Homoeopat
Medical College, Kulasekhar



Sarada Krishna
Homoeopathic Medical College
Kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161


45	Desk Top PC (INTEL PC)	24/03/2017	Administration Office A3	
47	Lap Top Admiral (SMILE PC)	05/04/2017	Class Room	
48	Desk Top PC (DEPT OF PATHOLOGY)	16/06/2017	Department of Pathology	
49	Desk Top PC (WINDOWS PC)	16/06/2017	Department of Pharmacy	
50	Desk Top PC (WINDOWS PC)	16/06/2017	Department of Physiology	
51	Desk Top PC (WINDOWS PC)	16/06/2017	Department of Anatomy	
52	Desk Top PC (OBG PC)	16/06/2017	Department of OBG	
53	Desk Top PC (WINDOWS PC)	16/06/2017	Forensic Medicine	
54	Desk Top PC (DEPT OF CM PC)	16/06/2017	Department of Community Medicine	
55	Desk Top PC (WINDOWS 2 PC)	17/06/2017	Department of Research	
56	Desk Top PC (WINDOWS 1 PC)	06/09/2017	Department of Research	
57	Desk Top PC (ICT-1)	19/09/2017	ICT-1	
60	Desk Top PC (WINDOWS)	17/11/2017	Library Gate Entry	
63	Desk Top PC (ICT-2)	12/12/2017	ICT-2	
64	Desk Top PC (MESS)	13/03/2018	Hostel Mess	
65	Desk Top PC (Server New)	30/06/2018	Cash Server	
66	Desk Top PC (SKHMC-4)	30/03/2018	Ladies Hostel	
67	Desk Top PC (DESKTOP-96L671A)	14/05/2018	Chairman	
69	Desk Top PC (SKHMC-CASH)	23/05/2018	Administration Office Cash Counter F3	
70	Desk Top PC (SURGERY)	07/07/2018	Department of Surgery	
71	Desk Top PC (SKHMC-3)	07/08/2018	Examination Hall	
75	Desk Top PC (RED PC)	08/03/2019	Administration Office A2	
76	Desk Top PC (LIBRARY NEW)	25/03/2019	Library	
78	Desk Top PC (DESKTOP-SRDL V8)	09/05/2019	IQAC client	
79	Desk Top PC (DESKTOP-QV2D532)	23/05/2019	Administration Office Accounts-F2	
80	Desk Top PC (SKHMC-1)	21/06/2019	Library Computer Lab	
81	Desk Top PC (SKHMC-2)	21/06/2019	Library Computer Lab	
82	Desk Top PC (SKHMC-3)	21/06/2019	Library Computer Lab	
83	Desk Top PC (SKHMC-4)	21/06/2019	Library Computer Lab	
84	Desk Top PC (SKHMC-5)	21/06/2019	Library Computer Lab	
85	Desk Top PC (SKHMC-6)	21/06/2019	Library Computer Lab	
86	Desk Top PC (SKHMC-7)	21/06/2019	Library Computer Lab	
87	Desk Top PC (SKHMC-8)	21/06/2019	Library Computer Lab	

PRINCIPAL



Sarada Krishna
Homoeopathic Medical College
Kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

88	Desk Top PC (SKHMC-9)	21/06/2019	Library Computer Lab	
89	Desk Top PC (SKHMC-10)	21/06/2019	Library Computer Lab	
90	Desk Top PC (SKHMC-11)	21/06/2019	Library Computer Lab	
91	Desk Top PC (SKHMC-12)	21/06/2019	Library Computer Lab	
92	Desk Top PC (SKHMC-13)	21/06/2019	Library Computer Lab	
93	Desk Top PC (SKHMC-14)	21/06/2019	Library Computer Lab	
95	Desk Top PC (SKHMC-16)	21/06/2019	Server Room	
97	Desk Top PC (SKHMC-18)	21/06/2019	Library OPAC	
98	Desk Top PC (SKHMC-19)	21/06/2019	ICT	
99	Desk Top PC (SKHMC-20)	25/06/2019	RESERVE	


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

51

Reservat

()

31

View basic information about your computer

Windows edition

Windows 7 Professional

Copyright © 2009 Microsoft Corporation. All rights reserved.

Get more features with a new edition of Windows 7



System

Ratings:

4.6 Windows Experience Index

Processor: Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz 3.30 GHz

Installed memory (RAM): 4.00 GB (3.41 GB usable)

System type: 32-bit Operating System

Pen and Touch: No Pen or Touch Input is available for this Display

Computer name, domain, and workgroup settings

Computer name: New-PC

Full computer name: New-PC

Computer description:

Workgroup: WORKGROUP

Windows activation

Windows is activated

Product ID: 00371-OEM-8992671-00008

Change settings



Learn more online...

AM

PRINCIPAL

Sarada Krishna Homoeopathic Medical College, Kulasekharam

31

Host Name:
OS Name:
OS Version:
OS Manufacturer:
OS Configuration:
OS Build Type:
Registered Owner:
Registered Organization:
Product ID:
Original Install Date:
System Boot Time:
System Manufacturer:
System Model:
System Type:
Processor(s):

3300 Mhz
BIOS Version:
Windows Directory:
System Directory:
Boot Device:
System Locale:
Input Locale:
Time Zone:
Total Physical Memory:
Available Physical Memory:
Virtual Memory: Max Size:
Virtual Memory: Available:
Virtual Memory: In Use:
Page File Location(s):
Domain:
Logon Server:
Hotfix(s):
Network Card(s):

W-PC
Microsoft Windows 7 Professional
6.1.7600 N/A Build 7600
Microsoft Corporation
Standalone Workstation
Multiprocessor Free
New

00371-OEM-8992671-00000
10-Sep-16, 6:59:30 PM
11-Jun-19, 8:40:51 AM
Gigabyte Technology Co., Ltd.
To be filled by O.E.M.
X86-based PC
1 Processor(s) Installed.
L011: x64 Family 6 Model 58 Stepping 9 GenuineIntel ~

American Megatrends Inc. P4, 30-Sep-14
C:\Windows
C:\Windows\system32
C:\Windows\system32
Device\Harddisk0\lume1
en-us;English (United States)
en-us;English (United States)
<UTC+05:30> Chennai, Kolkata, Mumbai, New Delhi
3,489 MB
1,517 MB
6,977 MB
4,884 MB
2,093 MB
C:\pagefile.sys
WORKGROUP
\NEW-PC
N/A

1 NIC(s) Installed.
L011: Realtek PCIe GBE Family Controller
Connection Name: Local Area Connection 2
DHCP Enabled: No
IP address(es)
L011: 192.168.1.87
L021: fe80::19d9:54ea:fdee:af91

Details of Updates

Sl. No	Details of updates	Remarks
01)	Quacke Head Instrument essential essential, installed on 23/02/18 for one year validity. essential essential.	
02)	Quacke Head Instrument essential essential, renewed on 07/02/18 for one year validity. essential essential.	
03	Rubber mat essential essential continues installed & renewed on 14/02/18. for one year validity. essential essential.	



PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT
TAMIL NADU - 629 161

Sarada Krishna
Homoeopathic Medical College
Kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX (HOSPITAL BLOCK)

System SI No	Name of equipment	Date of OS Installation	Place of installation	Remarks
07	Desk Top PC (LAB)	16/06/2015	Clinical Laboratory	
11	Desk Top PC (NEW PC)	06/11/2015	Medical Records -1	
13	Desk Top PC (WINDOWS PC)	16/10/2015	Diabetic Clinic	
19	Desk Top PC (PFT)	23/04/2016	Skill lab Spirometry	
33	Desk Top PC (SKILL PC)	28/10/2016	Skill Lab	
34	Desk Top PC (SKILL LAB1 PC)	31/10/2016	Skill Lab	
35	Desk Top PC (SYS-5 PC)	31/10/2016	Quality Assurance Cell -1	
36	Desk Top PC (SYS-4 PC)	31/10/2016	Quality Assurance Cell -2	
37	Desk Top PC (SYS-2 PC)	31/10/2016	Skill Lab	
38	Desk Top PC (SYS-1 PC)	31/10/2016	Skill Lab	
42	Lap Top (Lenova)	03/01/2017	PLO Hospital	
46	Desk Top PC (MSN)	05/04/2017	Smart PC Skill Lab	
58	Desk Top PC (SERVER)	29/09/2017	Medical Store (Pharmacy)	
59	Desk Top PC (NEW PC)	25/10/2017	Medical Records -2	
61	Desk Top PC (NEW PC)	25/11/2017	Medical Superintendent	
62	Desk Top PC (HOSPITAL-1)	03/12/2017	Hospital OP Registration.-2	
68	Desk Top PC (PG COORDINATOR)	16/05/2018	PG Co-coordinator	
72	Desk Top PC (HOSPITALREG-PC)	21/09/2018	Hospital OP Registration-1	
73	Desk Top PC (DELI2)	13/12/2018	Reserve(Skill Lab)	
74	Desk Top PC (HOSP MS)	06/02/2019	Medical Superintendent office	
77	Desk Top PC (DESKTOP-3805FBE)	13/04/2019	Hospital In Patient Registration	
94	Desk Top PC (SKHMC-15)	21/06/2019	Skill Lab	
96	Desk Top PC (SKHMC-17)	21/06/2019	Skill Lab	

PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

62

HOSP. 100011

62

View basic information about your computer

Windows edition

Windows 10 Home Single Language
© 2018 Microsoft Corporation. All rights reserved.

System

Processor: Intel(R) Core(TM) i3-7100 CPU @ 3.90GHz 3.91 GHz
Installed memory (RAM): 4.00 GB
System type: 64-bit Operating System, x64-based processor
Pen and Touch: No Pen or Touch Input is available for this Display

Computer name, domain, and workgroup settings

Computer name: HOSPITAL-1
Full computer name: HOSPITAL-1
Computer description: HOSPITAL -1
Workgroup: NEW OFFICE

Windows activation


Windows is activated Read the Microsoft Software License Terms
Product ID: 00327-35000-00000-AAOEM



Windows 10



Support Information



Change settings



Change product key


PRINCIPAL
Sarada Krishna Homoeopathic
Vaidya V. Subrahmanya Vaidya

62

OS Version:

OS Manufacturer:

OS Configuration:

OS Build Type:

Registered Owner:

Registered Organization:

Product ID:

Original Install Date:

System Boot Time:

System Manufacturer:

System Model:

System Type:

Processor(s):

BIOS Version:

Windows Directory:

System Directory:

Boot Device:

System Locale:

Input Locale:

Time Zone:

Total Physical Memory:

Available Physical Memory:

Virtual Memory: Max Size:

Virtual Memory: Available:

Virtual Memory: In Use:

Page File Location(s):

Domain:

Logon Server:

Hotfix(s):

19, 17134 N/A Build 17134

Microsoft Corporation

Standalone Workstation

Multiprocessor Free

N/A

N/A

00327-35000-00000-AAOEM

03-12-2017, 19:54:26

06-06-2019, 08:16:14

Dell Inc.

Vostro 3268

x64-based PC

1 Processor(s) Installed.

[01]: Intel64 Family 6 Model 158 Stepping 9 GenuineIntel ~3912 Mhz
Dell Inc. 1.10.0, 20-09-2018

C:\WINDOWS

C:\WINDOWS\system32

Device\HarddiskVolume1

en-us;English (United States)

en-us;English (United States)

(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi

4,004 MB

1,853 MB

5,602 MB

1,246 MB

4,356 MB

C:\pagefile.sys

NEW OFFICE

\\HOSPITAL-1

10 Hotfix(s) Installed.

[01]: KB4100347

[02]: KB4343669

[03]: KB4456655

[04]: KB4465663

[05]: KB4477137

[06]: KB4480979

[07]: KB4485449

[08]: KB4487038

[09]: KB4489907

[10]: KB4489868

Network Card(s):

- [07]: NB44832449
- [08]: KB4487038
- [09]: KB4489907
- [10]: KB4489868

3 NIC(s) Installed.

[01]: Qualcomm QCA9565 802.11b/g/n Wireless Adapter

Connection Name: Wi-Fi

Status: Media disconnected

[02]: Realtek PCIe GBE Family Controller

Connection Name: Ethernet

DHCP Enabled: No

IP address(es)

[01]: 192.168.1.136

[02]: fe80::8872:914a:9650:3517

[03]: Bluetooth Device (Personal Area Network)

Connection Name: Bluetooth Network Connection 2

Status: Media disconnected

Hyper-V Requirements:

- VM Monitor Mode Extensions: Yes
- Virtualization Enabled In Firmware: Yes
- Second Level Address Translation: Yes
- Data Execution Prevention Available: Yes

Details of Maintenance / Repairing

Sl. No

Details of Repairs

Remarks

01)

System installed and working Satisfactory 2/11/18



[Signature]
PRINCIPAL
SARADA KRISHNA HOMEOPATHIC MEDICAL COLLEGE
KULASHEKARAM, KANNAYAKUMARI DISTRICT,
TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK

- 1.Name of Equipment : HP LASER JET 1020
2.Year of Installation : 2013
3.TYPE : LASER
4.Place of Installation : COMPUTER LAB

PRINCIPAL

Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1	Checked and found good 15/11/16	ser
2	Toner refilled & drum blade replaced - 23/3/16	
3	Toner refill & checked ok - 13/4/16	
4	Drum, blade replaced. - 15/5/16	
5	Toner Cartridge replaced. - 29/8/16	
6	" " " " - 24/9/16	
7	Toner Cartridge Refill - 8/11/16	
8	Drum, blade replaced and toner refill - 2/4/17	
9	Toner Cartridge Refill - 24/5/17	
10	" " " " - 13/8/17	
11	Toner Cartridge Refill " - 07/11/17	
12	Toner Cartridge Refill & drum replaced - 28/02/18	
13	Toner refilled - 17/4/18	
14	" " " " - 21/5/18	
15	" " " " - 17/7/18	
16	Toner refill, drum & blade replaced, do after blade, primary charge roller } - 3/11/19	



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK

- 1.Name of Equipment : HP LASER JET M1005
- 2.Year of Installation : 2017
- 3.TYPE : LASER
- 4.Place of Installation : ADMINISTRATION OFFICE

PRINCIPAL

Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1)	Checked and found "SER" ³⁴ 13/1/16	'SER'
2.	Toner Cartridge Refilling -	19-01-16
3)	" " "	26-02-16
4.	Toner Cartridge Refilling.	27/4/16
5.	Toner Cartridge Refilling	21/05/16
6.	Toner Cartridge Refilling.	27/06/16
7.	Toner Cartridge Refilling	24/08/16.
8.	" " "	5/11/16
9.	" " "	21/1/2017
10.	New spare Cartridge purchase	31/1/2017
11.	Toner Cartridge Refilling	31/1/17
12)	" " "	24/3/17
13	" " "	10/06/17
14.	Toner Cartridge Refilling	15/7/17.
15	Toner Cartridge Refilling	12/10/17
16	Toner Cartridge Refilling	6/12/17
17	Toner Refill & Drum replaced.	5/2/17

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
18.	Cartridge toner refilled - 17/1/19 <i>[Signature]</i>	
19.	" " " " - 31/01/19 <i>[Signature]</i>	
20.	Spare Cartridge purchased - 01/2/19 <i>[Signature]</i>	
21.	Toner Cartridge refilled - 5/4/19 <i>[Signature]</i>	
22.	" " " " - 12/4/19 - <i>[Signature]</i>	
23.	" " " " - <i>[Signature]</i>	
24.	Drum replaced & refilled. - <i>[Signature]</i> 24/5/19	
25.	Tone refilled <i>[Signature]</i> 16/6/19	
26.	" " " " <i>[Signature]</i> 16/6/19	
27.	Toner Cartrg refill. - <i>[Signature]</i> 17/7/19	
28.	Magnetic stone & roller service - <i>[Signature]</i> 17/7/19	

1.N
2.Y
3.T
4.P




[Signature]
PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT.
TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX (XEROX MACHINE)

SI No	Name Of Product	Serial No/Model No	Location	Year of Installation
1.	CANON	IR2200-3300 PCL5e	Library	24/09/2013
2.	CANON	IR2200-3300 PCL5e	Examination Hall	15/09/2016


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK


1.Name of Equipment : CANON iR2200-3300 pcl5e
2.Date of Installation : 24/09/2013
3.TYPE : XEROX
4.Place of Installation : LIBRARY

PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1)	Checked and found machine serviceable. ^{2/2/19}	'SER'
2)	Carried out service of press machine on 18/03/17. and working satisfactory. ^{18/3/17}	'SER'
3)	Press machine found faulty. ^{22/8/19}	'faulty'
4)	Checked the machine and following parts is damaged and replaced,	
	1) Delivery out Assembly,	
	2) Motor Board,	
	3) Finisher cover, 4) Drum Blade	
	5) Kick roller...	
	Machine found serviceable. ^{25/8/19}	'SER'





 PRINCIPAL
 SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
 KULASEKHARAM, KANYAKUMARI DISTRICT.
 TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
Kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161


LOG BOOK EXCHANGE

- 1.Name of Equipment : Crystal Micro controller EPAPX KX96 GAMMA Exchange
- 2.Equipment Sl.No/I.D No : NIL
- 3.Date of Installation : 07/07/2006
- 4.Storage/Capacity : 94 + 2 Port
- 5.Place of Installation : Hospital


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Updations

Sl. No	Details of updations	Remarks
1.	Extension cord add - 16-8-2017	
2.	Lightning protector added - 16-8-2017	
3.	Lightning protector added - 6/2/19	
4.	Crystal line Cord - updated - 4/4/19	
5.	Lightning protector, Cable Connector, DP Box with 1 core Connector added 4/4/19	





**Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161**

LOG BOOK INDEX (TELEPHONES)

SI No	Brand	Serial No/Model No	Location	Extn. No	Remarks
1	Beetel	011701775177	Office Rec. cash	223	
2	Beetel	041701836719	Office Rec.1	223	
3	Beetel	041701836708	Office Rec.2	223	
4	Beetel	02170797994	Chairman	219	
5	Beetel	101802155571	Principal	200	
6	Beetel	061601017442	Advisor	212	
7	Beetel	071200805519	PG Coordinator	279	
8	Beetel	071601662057	UG Coordinator	209	
9	Beetel	051501416233	Co curriculam Coordinator	232	
10	BPL	SKHMC/CA/108/LP/1	CA to principal/Maintenance manager	208	
11	Preetel	109899	OS	201	
12	BPL	SKHMC/CO/115/LP/3	OM	229	
13	Beetel	071601662071	EM	244	
14	Beetel	071601662072	IQAC	245	
15	Beetel	101701950940	Head A/c.	216	
16	Beetel	0515014116258	Library	225	
17	Beetel	101802151158	ICT	258	
18	BPL	6699606114	Dept. of Anatomy	220	
19	Beetel	041701836707	Dept of Com. Med	284	
20	Beetel	101601723296	Dept. of FM	285	
21	Beetel	071601662057	Dept. of MM	209	
22	BEETEL	021701798009	Dept. of OBG	228	
23	BEETEL	101100002236	Dept. of organon	222	
24	BEETEL	051501416233	Dept. of Paediatrics	232	
25	BEETEL	071200805517	Dept. of Pathology	237	
26	BPL	6390	Dept. of PM	286	
27	BEETEL	101601723298	Dept. of Repertory	215	
28	BEETEL	071200805505	Dept. of Surgery	231	
29	BEETEL	051501416241	Dept. of Pharmacy	211	
30	BEETEL	011701775168	Hosp. Reception	235	
31	BEETEL	07160166255			
32	BEETEL	071601662078	Mdl. Supdnt	242	
33	BEETEL	021701797996	Casualty	203	
34	BPL	6689604541	Clinical Lab	205	
35	BPL	5689451756	Dispensary	236	
36	BPL	021006899319780	Duty Doctor Room	207	
37	BEETEL	111701969483	IP	202	
38	BEETEL	021701798000	Nurse Corner	280	
39	BEETEL	021790519	Pharmacy	226	


PRINCIPAL

Sarada Krishna Homoeo
Medical College, Kulasekharam



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX NETWORK SWITCH

No	Name Of Product	QTY	Location	Year of Installation	Remarks
	L3 CORE SWITCH	01	COLLEGE	2018	
	GIGABYTE SWITCH 24G	04	COLLEGE	2018	

PRINCIPAL

Sarada Krishna Homoeopathic
Medical College, Kulasekharam

WSP
networks Jerru



M/s. Shineplus Networks Pvt. Ltd

No.9/3, Singh Complex, Kanjirampottai, Kaliakkavilai, Kanyakumari Dist,
Tamilnadu - 629 153. Ph : +91-9445648151

INVOICE

M/s. Sarada Krishna Homeopathic Medical College,	INVOICE DATE	20-02-2018
Building Name:- NA	INVOICE NO.	Sd3176
Flat No:-NA	DUE DATE	Immediate
Address:- SKHMC, Kulasekharam, Kanyakumari Dist., Tamiladu 629 161	CUSTOMER ID	
Mobile/Contact No: +91-04651-279448		

INVOICE SUMMARY

Sl. No	Description	Rate	Quantity	Amount(INR)
1	QRT2 RBT 2SHPnD	13,850 ✓	6	83,100.00
2	L3 Core Switch	19,500	1	19,500.00
3	Gigabyte Switch 24G	6,000	5	30,000.00
4	Mikrotik Router Board	6,750	1	6,750.00
5	Media Convertor	3,500	1	3,500.00

Installation and Configuration Charges

5,000.00

AMOUNT	1,47,850.00
GST (18%)	26,613.00
GRAND TOTAL:	1,74,463.00

Rupees in Words:- (One lakh Seventy Four Thousand Four Hundred and Sixty Three only)

Remarks:-

1. Cheques should be drawn in the name of "Shineplus Networks Pvt. Ltd."
2. Any dispute subject to jurisdiction under the "Kuzhithurai Courts only".

For Shineplus Networks Pvt. Ltd.

Authorised Signatory




19-3-18



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX (CCTV & DVR)

Sl No	Product	Serial No/Model Number Of DVR	Recording Location	No. of Cameras	Date of Installation	Remarks
1.	CP-Plus	CP1B00BDBPAE00037 CP – UVR – 0804E2	Exam Hall	04 Nos	30/01/2016	
2.	Dahua	2L04FE5PAZB9B49 DH-NVR2104HS-S2	Main Gate	04 Nos	2016	
3.	Dahua	2C05ACBPBQ59MU8 DH-HCVR4108 – S3	Net cafe	06 Nos	21/06/2016	
4.	Dahua	1L0429FPAEN9K8L DH-HCVR5108H-S2	Simulation Room	05 Nos	2016	
5.	Dahua	2f036E7PAEZ7CZ3 DH-HCVR-4232ANS2	Office,College Indoor	32 Nos	21/06/2016	
6.	Dahua	2B011AAPBQB5MET DH-HCVR4108HS-S3	Library & Computer Lab	5 Nos	21/10/2016	
7.	Dahua	2L053B1PAPX7766 DH-HCVR4232AN-S3	Gents Hostel	25 Nos	24/05/2017	
8.	Dahua	1M02F16PAP002301 DH-HCVR-4232ANS2	Lecture Hall & Lab	26 Nos	31/05/2017	
9.	Dahua	CP1L01382PBQ01446 DH-HCVR4116HS-S2	Ladies Hostel	16 Nos	12/11/2017	
10.	Dahua	4E04017PAZC1304 NVR 4216-4K S2	Lecture Hall & Seminar Hall	15 Nos	12/10/2018	
11.	Dahua	3E06805PGENJKJ DH-XVR5216A	Skill Lab	12 Nos	26/02/2018	
12.	Dahua	5A892037PA502200 DH-XVR4B08H	Canteen	05 Nos	22/05/2019	



PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK

- 1.Name of Equipment : CP PLUS DVR & CAMERA
2.Equipment SI No : CP1B00BDBPAE00037 CP – UVR – 0804E2
2.Date of Installation : 31/01/2016
3.No. of Camera's : 04 Nos
4.Place of Installation : Examination Hall


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK

- 1.Name of Equipment : DAHUA DVR & CAMERA
- 2.Equipment SI No : 1M02F16PAP002301 DH-HCVR-4232ANS2
- 2.Date of Installation : 31/05/2017
- 3.No. of Camera's : 26 Nos
- 4.Place of Installation : Lecture Hall & Lab

[Signature]
 PRINCIPAL
 Sarada Krishna Homoeopathic
 Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1.	DVR checked and found servicable (302) - 31/5/17 [Signature]	
2.	HDMI port error send to warranty repair - 2/6/19 [Signature]	
3.	Device checked and found working - o/c. 27/3/19. [Signature]	
4.	Mobile viewing not supporting. - 4/6/19 - [Signature] - 10/6/19 [Signature]	
5.	Device firmware updated & received good condition [Signature]	





PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT.
TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK NETWORK EQUIPMENTS

Sl No	Name Of Product	Serial No/Model No	Location	Date of Purchase	Remarks
1	WIFI HOTSPOT	QRT2 RBT 2SHPnD	COLLEGE	20-02-2018	
	SWITCH	L3 CORE SWITCH	COLLEGE	20-02-2018	
	SWITCH	GIGABYTE SWITCH 24G	COLLEGE	20-02-2018	
	ROUTER	MIKROTIK ROUTER BOARD	COLLEGE	20-02-2018	
	MEDIA CONVERTER	MEDIA CONVERTER	COLLEGE	20-02-2018	


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam



M/s. Shineplus Networks Pvt. Ltd

No.9/3, Singh Complex, Kanjirampottai, Kaliakkavilai, Kanyakumari Dist,
Tamilnadu - 629 153. Ph : +91-9445648151

INVOICE

M/s. Sarada Krishna Homeopathic Medical College,	INVOICE DATE	20-02-2018
Building Name:- NA	INVOICE NO.	Sd3176
Flat No:-NA	DUE DATE	Immediate
Address:- SKHMC, Kulasekharam, Kanyakumari Dist., Tamiladu 629 161	CUSTOMER ID	-
Mobile/Contact No:-+91-04651-279448		

INVOICE SUMMARY

Sl. No	Description	Rate	Quantity	Amount(INR)
1	QRT2 RBT 2SHPnD	13,850	5	69,250.00
2	L3 Core Switch	19,500	1	19,500.00
3	Gigabyte Switch 24G	6,000	5	30,000.00
4	Mikrotik Router Board	6,750	1	6,750.00
5	Media Convertor	3,500	1	3,500.00
Installation and Configuration Charges				5,000.00
AMOUNT				1,34,000.00
GST (18%)				24,120.00
GRAND TOTAL:				1,58,120.00

Rupees in Words:- (One Lakh Fifty Eight Thousand One Hundred and Twenty only)


Remarks:-

1. Cheques should be drawn in the name of "Shineplus Networks Pvt. Ltd.."
2. Any dispute subject to jurisdiction under the "Kuzhithurai Courts only".

For Shineplus Networks Pvt. Ltd.

Authorised Signatory

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1)	checked and found all items are	
	"SER"  25/05/18 (Final).	"SER"





PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT
TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX FAX MACHINE

SI No	Name Of Product	Serial No/Model No	Location	Year of Installation	Remarks
01	PANASONIC FAX MACHINE	KX-FP—701CX SL NO 3LBBP653367	E.M OFFICE	2014	


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

59

RETAIL INVOICE FORM NO:8B

(Duplicate)

CANNLINKS
 C 25/337A, "BISARA"
 HIRAKULAM ROAD
 TATTUE, TRIVANDRUM,
 Kerala - 695001
 PH NO: 0471-2472699, 2470612
 Email: cannlinks@asianetindia.com

Invoice No.	Dated
51	21-Apr-2014
Delivery Note	Mode/Terms of Payment
Supplier's Ref.	Other Reference(s)
Buyer's Order No.	Dated
Despatch Document No.	Dated
Despatched through	Destination
Terms of Delivery	

Buyer
K HMC
MULASEKHARAM

22/1/2014

107
 6 12

Description of Goods	Quantity	Rate	per	Disc. %	Amount
PANASONIC FAX MACHINE KX-FP-701CX SL NO:3LBBP653367	1.00 No.	6,619.05	No.		6,619.05
				5 %	330.95
Less: OUTPUT VAT 5% LESS: - BUYBACK PRICE FOR OLD MACHINE					(-)500.00
Total	1.00 No.				₹ 6,450.00

Amount Chargeable (In words)

E. & O.E

Indian Rupees Six Thousand Four Hundred Fifty Only

Company's VAT TIN : 32010807284
 Company's CST No. : 11139380
 Company's Service Tax No. : AADFC4724GST001
 Company's PAN : AADFC4724G

I hereby certify that all the particulars shown in the above Tax Invoice are true and correct and that my/our Registration under KVAT-Act 2003 is valid as on the date of this bill. Original for the purpose of claiming Input Tax Credit, Duplicate for the transport Copy, Triplicate for filing at the Bank Post / Extra Copy & Quadruplicate to be retained with the seller.



This is a Computer Generated Invoice

[Handwritten signature]

[Handwritten signature]





**Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161**

LOG BOOK SERVER

Sl No	Name Of Product	Serial No/Model No	Location	Date of Installation	Remarks
1.	Lenovo SR530 Two Socket 1U Rack Server Comprising of Intel Xeon Silver 4110 Octa core Processor @2.1 GHz 16 GB TruDDR4 2666 MHz RDIMM Memory Integrated RAID 0, 1, 10, 5, 50 (RAID 530-8i PCIe) Integrated Gigabit Ethernet Port Three Years onsite Lenovo Warranty	Lenovo SR530 Two Socket 1U Rack Server Comprising of Intel Xeon Silver 4110 Octa core Processor @2.1 GHz 16 GB TruDDR4 2666 MHz RDIMM Memory Integrated RAID 0, 1, 10, 5, 50 (RAID 530-8i PCIe) Integrated Gigabit Ethernet Port Three Years onsite Lenovo Warranty	Server Room	20/06/2019	
2.	600 GB 2.5" 10K SAS 12 Gb Hot Swap 512n Hard disk drive	600 GB 2.5" 10K SAS 12 Gb Hot Swap 512n Hard disk drive			
3.	Mass make - 42U Floor standing 600 x 1000 Server Rack with 4 Nos. of Cooling Fan with tray, 1 No. of Server tray 1000 mm depth, 1 No. of Vertical power manager (15 sockets - 16Amphs), 2 Nos. of Horizontal cable manager closed type and 2 Nos. of Hardware kit	Mass make - 42U Floor standing 600 x 1000 Server Rack with 4 Nos. of Cooling Fan with tray, 1 No. of Server tray 1000 mm depth, 1 No. of Vertical power manager (15 sockets - 16Amphs), 2 Nos. of Horizontal cable manager closed type and 2 Nos. of Hardware kit			
4.	D-Link - DGS-1210-28 - 24 10/100/1000 Base T Ports + 4 SFP Ports Web smart switch	D-Link - DGS-1210-28 - 24 10/100/1000 Base T Ports + 4 SFP Ports Web smart switch			

[Signature]
PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1)	checked and found all equipments are	✓ SER
	✓ serviceable ✓. <i>SK</i> 25/1/19.	
		
		



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK FIREWALL

Sl No	Name Of Product	Serial No/Model No	Location	Date of Installation	Remarks
	Sophos XG135 UTM Appliance with 3 Years full Guard Subscription which includes Gateway Anti-Malware, Gateway Ant-Spam, Intrusion Prevention System, Web & Application Filter, Web Application Firewall, 24*7 Support, RMA Fulfilment of XG135	C1B0A6TXHP2RRCF	OFFICE	20/06/2019	

Only
PRINCIPAL

Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1	Firewall installed and working satisfactory. and found serviceable. 2/16/2019	'SEE'



[Signature]
PRINCIPAL
SARADA KRISHNA HOMEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX BIO-METRIC MACHINE

Sl No	Name Of Product	Serial No/Model No	Location	Year of Installation	Remarks
1	K20 BIO-METRIC ATTENDANCE MACHINE	K20	PG CO-ORINATOR OFFICE	2018	
2	K20 BIO-METRIC ATTENDANCE MACHINE	K20	HOSPITAL	2018	
3	K20 BIO-METRIC ATTENDANCE MACHINE	K20	COLLEGE	2018	
4	STARTEK FM220U FINGER PRINT READER	B078VQJDQ1	COLLEGE	2018	
5	STARTEK FM220U FINGER PRINT READER	B078VQJDQ1	COLLEGE	2018	
6	STARTEK FM220U FINGER PRINT READER	B078VQJDQ1	COLLEGE	2018	
7	K20 BIO-METRIC ATTENDANCE MACHINE	B01HOGSWHU	COLLEGE	2019	


PRINCIPAL

Sarada Krishna Homoeopathic
Medical College, Kulasekharam

amazon.in

Tax Invoice/Bill of Supply/Cash Memo
(Triplicate for Supplier)

02, 30 06
192

109

M2
F

Sold By :
Aarohi Info Solutions
H-5E/5C, OLD NO-5A, GROUND FLOOR, MAIN
MARKET MADANPUR KHADAR, Near by
Aggarwal Sweets, Iajjaram shopping complex
NEW DELHI, DELHI, 110076

Billing Address :
DR C.K.MOHAN
SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE, CONVENT JUNCTION,
KULASEKHARAM
KULASEKHARAM, TAMIL NADU, 629161
IN

PAN No: BNMFK3295F
GST Registration No: 07BNMFK3295F1ZQ

Shipping Address :
DR C.K.MOHAN
DR C.K.MOHAN
SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE, CONVENT JUNCTION,
KULASEKHARAM
KULASEKHARAM, TAMIL NADU, 629161
IN

Order Number: 403-5257855-8350741
Order Date: 29.12.2018

Invoice Number : IN-8841
Invoice Details : DL-593989995-1819
Invoice Date : 29.12.2018

Sl. No.	Description	Unit Price	Qty	Net Amount	Tax Rate	Tax Type	Tax Amount	Total Amount
1	REALTIME, Plastic Startek FM220U Registered Device for Finger Print Reader (238, White) 1 B0Z8VCJ0Q1 (-19.3U7P-UT66)	1,639.83	3	4,919.49	18%	IGST	885.51	5,805.00
TOTAL:							885.51	5,805.00

Amount in Words:
Five Thousand Eight Hundred And Five only

For Aarohi Info Solutions:

V. S. Kumar
Authorized Signatory

SARADA KRISHNA HOMOEOPATHIC
MEDICAL COLLEGE HOSPITAL
D 7 JAN 2019
KULASEKHARAM

BENQ PROJECTOR SLNO BDK 5D01327000-S

SPECIFICATION:-

Brightness: 1,800 Lumens

Contrast:100,000:1 (full on/off)

Dynamic Iris:Yes**Resolution:**3840x2160

Native Aspect Ratio:16:9 (4K HD)

Color Processing:10-bit

Projector Size:6.61" x 19.37" x 13.74" (HxWxD)

Weight:14.3 lbs**Video Modes:**720p, 1080i, 1080p/60, 1080p/24, 1080p/25, 1080p/30, 1080p/50, 2160p/24, 2160p/60, 576i, 576p, 480p, 480i

Data Modes:MAX 3840x21603D

Modes:Full HD 3D

Lamp Life:4,000 hours / 15,000 hours (eco)

Lamp Type:Metal Halide

Lamp Wattage:245 Watts

Lamp Quantity:1**Display Type:**0.47" DLP (1)

Color Wheel:6 segments**Std. Zoom Lens:**1.60:1

Std. Lens Focus:Manual

Optional Lenses:No**Lens Shift:**Horizontal +/-23.0% & Vertical +/-60.0%**Throw Distance:**9.5' - 29.6' **Image Size:**60.00" - 299.66"**Throw Ratio:**1.36:1 - .18:1 (D:W)

Projector Placement:For a



diagonal screen, place the projector lens between 9'-11" and 15'-10" from the screen

Digital Zoom:No**Digital Keystone:**


Vertical Audible Noise:

32.0 dB / 26.0 dB (eco)**Speakers:**

No**Max Power:**405 Watts**Voltage:**100V - 240V

Connection Panel:

Audio Out (Mini Jack), Network (RJ-45), USB, USB, RS232 (DB-9pin), 12-Volt Trigger, HDMI (HDCP 2.2), HDMI (HDCP 2.2)


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

No	Details of Repairs	Remarks
1	Installed and found working satisfactory (SEE) 2/5/13	SEE



(Signature)
PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT
TAMIL NADU - 629 167



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK VIDEO PHOTO CAMERA

SI No	Name Of Product	Serial No/Model No	Location	Date of Purchase	Remarks
1	Nikon	10006860	ICT	2014	
2	Nikon	1001614	ICT	2015	
3	CAMERA PANASONIC PV100 CAMCORDER	CK6KA001589	ICT	07/12/2016	
4	Nikon D5300 WITH AF-P- 18-55 VR+AF-P 70-300 VR LENS	7683481/23417622/2 0509779	ICT	18/01/2019	

PRINCIPAL


Sarada Krishna Homoeopathic
Medical College, Kulasekharam






Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK


- 1.Name of Equipment : NIKON
- 2.Equipment Sl No : 10006860
- 2.Date of Purchase : 201~~5~~
- 3.Storage Capacity : 8 GB
- 4.Place of Installation : ICT


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1.	Checked & found serviceable [SC02]-13/8/14 	
2.	Lens not open - Refer to Form - 18/4/17 	
3.	Lens unit replaced & checked serviceable - 17/5/18 	





PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161




Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161


LOG BOOK

- 1.Name of Equipment : NIKON
- 2.Equipment SI No : 1001614
- 2.Date of Purchase : 2015
- 3.Storage Capacity : 8 GB
- 4.Place of Installation : ICT


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1.	Camera checked and found servicable - 	






Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK

1.Name of Equipment : CAMERA PANASONIC PV100 CAMCORDER
2.Equipment SI No : CK6KA001589
2.Date of Purchase : 07/12/2016
3.Storage Capacity : 64 GB
4.Place of Installation : ICT


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1)	Camera checked and found serviceable (SCAR) - 9/12/16	

[Handwritten Signature]

[Handwritten Signature]




PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX BARCODE SCANNER

SI No	Name Of Product	Serial No/Model No	Location	Year of Installation	Remarks
1	MINDEO MP8000 BARCODE SCANNER WITH STAND	SA01007849	LIBRARY	2018	
2	TVS BARCODE SCANNER	RAPNKT000265	LIBRARY	2019	


PRINCIPAL
Sarada Krishna Homoeopathic
Medical College, Kulasekharam

130 / 4.8.21 / 01

TIN : 33346165176
CST : 833334

Bill No : 637

Date : 15/03/18

PHOENIX COMPUTERS

Sales & Service

Cheruppaloor, Kulasekhararam P.O., K.K.Dist.
91-9486215158, +91-4651-279779

Bill To :

Saradha Krishna Homoo
Medical College

Product Description	Batch Code	Qty	Unit Price	Value	Amount
MINDED MP8000 Barcode Scanner with Stand S/N: SA01007849		1			13,600

thirteen thousand and six hundred only 13,600

Goods received in good condition (Receiver's Signature with Office Seal)



WARRANTY/SERVICE PLEASE CALL 04651-279779 BETWEEN 10 AM TO 8 PM.
BRING ALONG COPY OF OUR INVOICE FOR ANY TYPE OF WARRANTY REPAIR IF APPLICABLE



23/3

Details of Maintenance / Repairing

Sl. No	Details of Repairs	Remarks
1)	checked and found "see" $\frac{8}{18/03/18}$.	
2)	machine found faulty and referred to. beam bar repair: $\frac{8}{12/19}$.	Referred, $\frac{8}{12/19}$.
3)	checked and found "see" $\frac{8}{19/5/19}$.	'see'




 PRINCIPAL
 SARADA KRISHNA HOMEOPATHIC MEDICAL COLLEGE
 KULASEKHARAM, KANYAKUMARI DISTRICT,
 TAMIL NADU - 629 161



Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX KINDLE e-BOOK READER

Name Of Product	Serial No/Model No	Location	Year of Installation	Remarks
KINDLE e-Book Reader	B077454Z99	LIBRARY	2019	

PRINCIPAL

Sarada Krishna Homoeopathic
Medical College, Kulasekharam

Sold By :
Matrix Distributor Pvt Ltd
Pathamesh Complex, Building No. H, Opp.
Sika Restaurant, Mumbai - Nasik Highway No. 3,
Wandi By-pass Road
Wandi, Maharashtra, 421302

Billing Address :
DR C.K.MOHAN
SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE, CONVENT JUNCTION ,
KULASEKHARAM
KULASEKHARAM, TAMIL NADU, 629161
IN

IN No: AADCM9143N
GST Registration No: 27AADCM9143N1ZY

Shipping Address :
DR C.K.MOHAN
DR C.K.MOHAN
SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE, CONVENT JUNCTION ,
KULASEKHARAM
KULASEKHARAM, TAMIL NADU, 629161
IN

Order Number: 405-4399649-0679526
Order Date: 06.06.2019

Invoice Number : BOM1-28383
Invoice Details : MH-BOM1-137815391-1920
Invoice Date : 06.06.2019

Description	Unit Price	Discount	Qty	Net Amount	Tax Rate	Tax Type	Tax Amount	Total Amount
All-New Kindle Paperwhite (10th gen) - 6" High Resolution Display with Built-in Light, 8GB, Waterproof, WiFi B077454Z99 (MATRIX_B077454Z99)	₹11,016.10	₹0.00	1	₹11,016.10	18%	IGST	₹1,982.90	₹12,999.00
Shipping Charges	₹33.90	-₹33.90		₹0.00	18%	IGST	₹0.00	₹0.00
TOTAL:							₹1,982.90	₹12,999.00

Amount in Words:
Twelve Thousand Nine Hundred And Ninety-nine only

For Matrix Distributor Pvt Ltd:



Authorized Signatory

Page 1 of 1, 1-1/1
Packing slip for Dg60J9vBx 6 June, 2019

Sold By
Matrix Distriubutor Pvt Ltd
Prathamesh Complex, Building No. H, Opp. Vatika Restaurant
Mumbai - Nasik Highway No. 3, Bhiwandi By-pass Road
Bhiwandi - 421302
Maharashtra, India



Dg60J9vBx /-1 of 1 -// std-in-cod-eligible

Invoice Number: BOM1-28383

Order ID 405-4399649-0679526

This is a computer generated document


QTY DESCRIPTION

1 All-New Kindle Paperwhite (10th gen) - 6" High Resolution Display with Built-in Light, 8GB, Waterproof, WiFi
X000WZTWOB
FSNHEX: G0010210844419SV

Registered Address for

Matrix Distriubutor Pvt Ltd, 189-A SANE GURUJI MARG, 16, ANAND ESTATE,, MUMBAI - 400011, MAHARASHTRA, IN

To return an item, visit <http://www.amazon.in/returns>
For more information on your orders, visit <http://www.amazon.in/your-account>

Purchase made on 

Dg60J9vBx /-1 of 1 -// std-in-cod-eligible/ 0606-17:21/ 0607-16:00






Sarada Krishna
Homoeopathic Medical College
kulasekharam, Kanniyakumari (Dist) Tamil Nadu-629161

LOG BOOK INDEX JIO-FI MODEM

Sl No	Name Of Product	Qty	Location	Year of Installation	Remarks
1	JIO-FI MODEM	02	IQAC	2017	


PRINCIPAL
Sarada Krishna Homoeop
Medical College, Kulasekhar...

E.G. Communications

Man Kovil Junction, Cheruppaloor

623

Phone: 279820
Mob: 9443501685
Date: 18/12/2019

To: S.K.H.M.C. Kulaselkharan

Particulars	Qty	Rs.	Ps
Item No: Jio WiFi Modem	1	999	
Item No: Jio Sim	1	630	
Total		1629	

Area Centre
MPN Plaza, Chettikulam Jn., Nagercoil
SMarcade Building, Pammam Road, Marthandam
Goods once sold will not be taken back

Customer Signature: *[Signature]*
For E.G. Communications: *[Signature]*

Sarada Krishna
 Homoeopathic Medical College
 Kulasekharam, Kanyakumari Dist. Tamilnadu - 629 161

Maintenance details of Sewage Treatment Plant

<u>Sl.No.</u>	<u>Date</u>	<u>Details</u>	<u>Amount</u> <u>Rs.</u>	<u>Remarks</u>
1.	16.4.15	STP Maintenance Work	63,788/-	
2	28.4.16	do do do -	16415/-	
3	13.12.18	do do do -	2800/-	



PRINCIPAL
 SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
 KULASEKHARAM, KANYAKUMARI DISTRICT
 TAMIL NADU - 629 161

Sarada Krishna
 Homoeopathic Medical College
 Kulasekharam, Kanyakumari Dist. Tamilnadu - 629 161

Maintenance details of R O Treatment Plant

Sl.No.	Date	Details	Amount Rs.	Remarks
1	26.9.14	Ro Plant-Filter Maintenance	41140/-	
2	27.3.15	Ro Plant-Filter Maintenance	4840/-	
3	14.9.15	Ro Plant-Filter Service	41146/-	
4	29.7.17	Ro Plant-Service	29,500/-	
5	29.3.19	Ro Plant- Maintenance	1,100/-	
6	30.3.19	Ro Plant Maintenance	12,681/-	



PRINCIPAL
 SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
 KULASEKHARAM, KANYAKUMARI DISTRICT
 TAMIL NADU - 629 161

Sarada Krishna

Homoeopathic Medical College

Kulasekhararam, Kanyakumari Dist. Tamilnadu - 629 161

Maintenance details of Water Tank / Pump

Sl.No.	Date	Details	Amount Rs.	Remarks
1.	23.12.15	Water Tank Maintenance	5350/-	
2.	27.7.16	Water Pump Maintenance	1500/-	
3.	5.7.18	Water Pump Maintenance	8000/-	



PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE,
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161

I N D E X

Name : std : sec : Roll No :

School / College :

S. No.	Date	Title	Page No.	Teacher's Sign / Remarks
		<u>Complaint Register.</u>		
		S. K. H. M. C. Kulaseharas.		
		<u>Certificate</u>		
		It is certified that the Register contains Page 1 To 80.		
		(Signature) 1/10/2015		
				msy

5

16/6/19 Room No: 309

Tubelight is not working

M. Rangasundari

~~18/6/19~~

18/6/19

15/6/19

17/6/19 Room NO: 213

one Fan is not working.

S. Thilapan

5.20pm

~~18/6/19~~

18/6/19

23/06/19 Sound is coming from one fan of Room No. 216

G. G. Tejas Vitas

~~24/6/19~~

24/6/19

24/6/19

01/07/19 TV NO SIGNAL

T. BAMS

21/7

15/7/19 Fan is running slow in 102

IVBHMS
M. Manik
16/7/19

1.45 PM

19/7/19 Room NO: 207

Tubelight is not working
fan speed is very slow.

K. Vijay Kumar
K. Vijay Kumar
M. Manik

22/7/19

20/7/19 Room No: 207

Tubelight is not working fan speed
in very slow

G. Arjun
S. Arjun
7.00 PM

M. Manik
22/7/19

fan

LAUNDRY REGISTER

This is to certify that this Register
Contains Pages from one to Two hundred
and Seventy two. (1 to 272)

Issued by:

KKR
27/1/2017
Dr. Nishanvaran R.S.

Approved by:

Jan V
Dr. N.V. SUGATHAN, BHMS
Dy. Medical Superintendent
SARADA KRISHNA
HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM KANYAKUMARI DIST
TAMIL NADU - 629 161.

BEFORE WASH

210

DATE	NO. OF HANDBL SHEETS	NO. OF PILLUS COVER	NO. OF TOWEL	NO. OF TUBS/CLEAN	MOD. DOCTORS	GIVEN BY	RECEIVED BY	REMARKS
1/5/19	21	19		BELT	SHEET	S. A. N. S.	S. A. N. S.	
2/5/19	20	16				S. A. N. S.	S. A. N. S.	
3/5/19	10	4		2	1	S. A. N. S.	S. A. N. S.	
4/5/19	20	21			5	S. A. N. S.	S. A. N. S.	
6/5/19	22	17		1	6	S. A. N. S.	S. A. N. S.	
7/5/19	29	19				S. A. N. S.	S. A. N. S.	
8/5/19	19+2	12+2		5	5	S. A. N. S.	S. A. N. S.	
9/5/19	10	7			3	S. A. N. S.	S. A. N. S.	
10/5/19	24	17			7	S. A. N. S.	S. A. N. S.	
11/5/19	22	12			2	S. A. N. S.	S. A. N. S.	
12/5/19	20	21		4	6	S. A. N. S.	S. A. N. S.	
14/5/19	21	15			3	S. A. N. S.	S. A. N. S.	
15/5/19	16	13		2	0	S. A. N. S.	S. A. N. S.	
16/5/19	14	11			1	S. A. N. S.	S. A. N. S.	
17/5/19	28	21		1	1	S. A. N. S.	S. A. N. S.	
18/5/19	7	6		3	3	S. A. N. S.	S. A. N. S.	
20/5/19	37	25		1	6	S. A. N. S.	S. A. N. S.	

AFTER WORK

10/03/2019 12:01

U

DATE	NO. OF MINIM SHEET	NO. OF PLIPLATE COVER	NO. OF TOWER	NO. OF TREATMENT	NO. OF SHEET	GIVEN BY	RECEIVED BY	REMARKS
15/1/19	17	2		2	2	S. Anitha	S. Anitha 15/1/19 3pm	
21/5/19	23	20			1	S. Anitha	S. Anitha 21/5/19 2:40pm	
3/5/19	22	19		1	2	S. Anitha	S. Anitha 3/5/19 3pm	
15/1/19	20	21		2	5	S. Anitha	S. Anitha 15/1/19 3pm	
15/1/19	19	24		1	5	S. Anitha	S. Anitha 15/1/19 2:30pm	
7/8/19	10+19	19			6	Shweta	S. Anitha 7/8/19 9:30am	
8/6/19	29	19			8	S. Anitha	S. Anitha 8/6/19 3pm	
7/5/19	26	17		5	6	S. Anitha	S. Anitha 7/5/19 3pm	
2/5/19	28	21			8	S. Anitha	S. Anitha 2/5/19 3pm	
11/5/19	24	17			7	S. Anitha	S. Anitha 11/5/19 3pm	
3/5/19	30	14			3	S. Anitha	S. Anitha 3/5/19 3pm	
4/5/19	43	35		4	7	S. Anitha	S. Anitha 4/5/19 3pm	
5/5/19	21	16		1	3	S. Anitha	S. Anitha 5/5/19 3pm	
16/5/19	25	21		1	3	S. Anitha	S. Anitha 16/5/19 3pm	
17/5/19	25	21			3	S. Anitha	S. Anitha 17/5/19 3pm	
8/5/19	34	24		1	3	S. Anitha	S. Anitha 8/5/19 3pm	




for

MAINTENANCE

REGISTER

HOSPITAL


This is to certify that this Register contains Pages from One to Two hundred and seventy two. (1 to 272)

Issued by: 

(Dr. R. S. Krishnaswami)

2/11/17. 11.25 am

Approved by:



Dr. N. V. SUGATHAN, BHMS
Dy. Medical Superintendent
SARADA KRISHNA
HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DIST
TAMIL NADU - 629 161.

Electricians mobile numbers

Krishnan Nalv : 9442788528

Manish : 7867931255

Pra theep : 9042976524

Sukumaran : 9442371496

SNO	DATE	COMPLAINT	INTERMED. BY	CALL ATTEND	COMPLAINT ATTEND BY	DATE & TIME	REMARKS	SIGN. BY
11	31.05.19	Nurses Room Bath Room light Faucet Complaint	V. Shreekrishna	BY Mank	(NAME & SIGNATURE) Mank	31/5/19 5:15 PM	Bath room light changed	By REEM at 10:30 am
12	31.05.19	napkin waste Kitchen trap Complaint	Valade siddhant sir	Mank	Mank	1/6/19 9:30 AM	wash basin tap changed	By REEM at 10:30 am
					MONTH OF JUNE - 2019			
1	1/6/19	Phone (MRD) Complaint	ma	Mank	Mank	1/6/19 10:30 AM	Phone repaired	By REEM at 11/6/19
2	13/6/19	physiotherapy Job Complaint	Shreevani	Mank	Mank	18/6/19 1:30 PM	Job repaired	By REEM at 19/6/19
3	18/6/19	SR-1 Call Bell switches Complaint	Surya Nand	Mank	Mank	18/6/19 1:30 PM	Call bell repaired	By REEM at 19/6/19
4	19/6/19	casualty wash basin complaint	Deba	Mank	Mank	19/6/19 1:30 PM	Pipe repaired	By REEM at 10 AM
5	21/6/19	Fan Complaint	Rindulika	Mank	Mank	21/6/19 10:30 AM	Fan repaired	By REEM at 10:15 AM
6	21/6/19	TV/R3 phone stand complain	Srinivasulu	Mank	Mank	21/6/19 10:30 AM	TV repaired	By REEM at 10:15 AM

AUTHORIZED SIGNATURE
 Mr. Krishnan Nair
 1/6/19

S.L.NO	DATE	COMPLAINT	INFORMED BY	CALL BY	COMPLAINT ATTENDED BY (NAME & SIGNATURE)	DATE & TIME	REMARKS	SIGNED BY	INCHARGE
1	26/6/19	Misc III Room No. 212 bulb lamp complaint	Mabel 26/6/19 at 3:30pm		Mabel	26/6/19 1:30pm	bulb changed	Gay REENA	26/6/19 at 4:15pm
2	29/6/19	S.R.S fan sound	aready 27/6/19 10:00		K. Pradeep	27/6/19	fan change to 1000 RPM	Gay REENA	27/6/19 at 10:15am
MONTH OF JULY - 2019									
1	1/7/19	Casualty wash basin complaint	staba 4/7/19 at 9:00	Mabel	Mabel	8/7/19 11:30am	Pipe changed	Gay REENA	8/7/19 at 9:00am
2	9/7/19	Casualty pipe complaint	staba 9/7/19 at 11:00	Mabel	Mabel	10/7/19	Pipe repaired	Gay REENA	10/7/19 at 11:00am
3	9/7/19	operation theatre drain pump is not working please check the Electrical Circuits, Start Circuit Particulars	DR.M.P.Lal	K. Pradeep	K. Pradeep	10/7/19 11:30am	Connection checked at 10:30am	Gay REENA	10/7/19 at 10:00am
4	9/7/19	Unit III Fan complaint	8. m. 9/7/19	Mabel	Mabel	10/7/19	Fan repaired	Gay REENA	10/7/19 at 10:00am
5	24/7/19	Red m. Call	24/7/19 at 10:00pm						
6	24/7/19	Red m. Call bell	24/7/19 at 10:00pm						
7	25/7/19	SR 5 switch Board complaint	25/7/19 at 8:30pm	K. Pradeep	K. Pradeep	25/7/19	Wiring checked	Gay REENA	25/7/19 at 9:00am



for



**SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE HOSPITAL
DEPARTMENT OF BIOMEDICAL ENGINEERING**

PREVENTIVE MAINTENANCE

MEDICAL EQUIPMENT: ECG MACHINE

DATE: 31/3/2018

MODEL: BDT D4 J1130

EQUIPMENT ID: SKHMC/BM/Em003

SERIAL NO:

FREQUENCY:

MANUFACTURER:

DEPT/LOCATION: Ultrasound Room

CHECK	REMARKS
1. EXTERNAL VISUAL CHECK	() <u>Ok</u>
2. CONTROL AND SWITCHES	() <u>Ok</u>
3. EQUIPMENT FUNCTIONAL CHECK	() <u>Ok</u>
A. MAIN CABLE/SWITCHES/	() <u>Ok</u>
B. ECG CABLES	() <u>Ok</u>
C. MONITOR	() <u>Ok</u>
D. KEYPAD	() <u>Ok</u>
E. PRINTER	() <u>Ok</u>
4. EQUIPMENT PERFORMANCE	() <u>Ok</u>
A. ECG GRAPH	() <u>Ok</u>
5. GENERAL CLEANING	() <u>Ok</u>
PROBES	() <u>Ok</u>
6. REMARKS	

Working fine

CONDITION

- A. WORKING GOOD CONDITION
- B. WORKING BUT NEED PARTS
- C. FIXED AND TESTED
- D. REPLACE PARTS AND TESTED

- E. CALIBRATION AND TESTED
- F. REQUIRE SOLE AGENT
- G. OBSOLUTE/CONDEMNED
- H. NOT AVAILABLE

CONDUCTED BY Hanikrishnan H.S (BME IN ENG/TECH)
 CONFORMED BY (DEPARTMENT/INCHARGE)

Hanikrishnan H.S



[Signature]



**SARADA KRISHNA HOMEOPATHIC MEDICAL
COLLEGE HOSPITAL
DEPARTMENT OF BIOMEDICAL ENGINEERING**

PREVENTIVE MAINTENANCE

MEDICAL EQUIPMENT: X RAY

DATE: 29/3/18

MODEL:

EQUIPMENT ID: SKHmc/Bm/
xmoof

SERIAL NO: 03505

FREQUENCY:

MANUFACTURER: Siemens.

DEPT/LOCATION: X-Ray Dept.

CHECK	REMARKS
1.EXTERNAL VISUAL CHECK	()..... ok
2.CONTROL AND SWITCHES/ELECTRIAL	()..... ok
3.EQUIPMENT FUNCTIONAL CHECK	()..... ok
A.MAIN CABLE/SWITCHES/EXPOSURE SWITCH	()..... ok
B. TABLE MOMENT	()..... ok
C.COLIMATION LIGHT	()..... ok
4. EQUIPMENT PERFORMANCE	
A.EXPOUSURE TIME	()..... ok
5. GENERAL CLEANING	
TABLE/BULKY	()..... ok
6. REMARKS	

working fine.

CONDITION

- | | |
|----------------------------|--------------------------|
| A.WORKING GOOD CONDITION | E.CALIBRATION AND TESTED |
| B.WORKING BUT NEED PARTS | F.REQUIRE SOLE AGENT |
| C.FIXED AND TESTED | G.OBSOLUTE/CONDEMNED |
| D.REPLACE PARTS AND TESTED | H.NOT AVAILABLE |

CONDUCTED BY Hanishnan.HS (BME IN ENG/TECH)
CONFORMED BY..... (DEPARTMENT/INCHARGE)

APPROVED BY :HOD BIOMEDICAL





**SARADA KRISHNA HOMEOPATHIC MEDICAL
COLLEGE HOSPITAL
DEPARTMENT OF BIOMEDICAL ENGINEERING**

PREVENTIVE MAINTENANCE

MEDICAL EQUIPMENT: MICROSCOPE

DATE: 20/3/2018.

MODEL: MLX-M.

EQUIPMENT ID: SKHMC/BM/

SERIAL NO:

FREQUENCY: m3001

MANUFACTURER: Magnus.

DEPT/LOCATION: clinical lab.

CHECK	REMARKS
1.EXTERNAL VISUAL CHECK	()..... Ok
2.CONTROL AND SWITCHES/ELECTRIAL	()..... ok
3.EQUIPMENT FUNCTIONAL CHECK	()..... ok
A.MAIN CABLE/SWITCHES/	()..... ok
B. LENSE CLARITY	()..... ok
C.LIGHT ILUMINATION	()..... ok
4. EQUIPMENT PERFORMANCE	
A.MICRO VISION	()..... ok
5. GENERAL CLEANING	
A.LENSE	()..... ok
6. REMARKS	

Working fine

CONDITION

- A.WORKING GOOD CONDITION
- B.WORKING BUT NEED PARTS
- C.FIXED AND TESTED
- D.REPLACE PARTS AND TESTED

- E.CALIBRATION AND TESTED
- F.REQUIRE SOLE AGENT
- G.OBSOLUTE/CONDEMNED
- H.NOT AVAILABLE

CONDUCTED BY *Hanishnan H.S* (BME IN ENG/TECH)

CONFORMED BY..... (DEPARTMENT/INCHARGE)

APPROVED BY :HOD BIOMEDICAL *[Signature]*



[Handwritten mark]



**SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE & HOSPITAL
DEPARTMENT OF BIOMEDICAL ENGINEERING**

PREVENTIVE MAINTENANCE

MEDICAL EQUIPMENT: ANALYSER

DATE: 29/3/18.

MODEL: *medonic -m- 20B*

EQUIPMENT ID: *SKHMC/Bm/BA001*

SERIAL NO:

FREQUENCY: *every*

MANUFACTURER: *Boulv*

DEPT/LOCATION: *clinical lab.*

CHECK	REMARKS
1. EXTERNAL VISUAL CHECK	() <i>ok</i>
2. CONTROL AND SWITCHES/ELECTRIAL	() <i>ok</i>
3. EQUIPMENT FUNCTIONAL CHECK	() <i>ok</i>
A. MAIN CABLE/SWITCHES/ASPIRATION PROBE	() <i>ok</i>
B. DISPLAY/KEYPADS/PRINTER	() <i>ok</i>
C. REAGENT TUBINGS	() <i>ok</i>
D. REAGENT UNIT/INCUBATOR	() <i>ok</i>
E. MONITOR	() <i>ok</i>
4. EQUIPMENT PERFORMANCE	
A. ERROR	() <i>ok</i>
5. GENERAL CLEANING	

6. REMARKS

working good.

CONDITION

- | | |
|-----------------------------|---------------------------|
| A. WORKING GOOD CONDITION | E. CALIBRATION AND TESTED |
| B. WORKING BUT NEED PARTS | F. REQUIRE SOLE AGENT |
| C. FIXED AND TESTED | G. OBSOLUTE/CONDEMNED |
| D. REPLACE PARTS AND TESTED | H. NOT AVAILABLE |

CONDUCTED BY *Harikrishnan H.S.* (BME IN ENG/TECH)
 CONFORMED BY (DEPARTMENT/INCHARGE)

Harikrishnan H.S.



[Signature]



**SARADA KRISHNA HOMEOPATHIC MEDICAL
COLLEGE HOSPITAL
DEPARTMENT OF BIOMEDICAL ENGINEERING**

PREVENTIVE MAINTENANCE

MEDICAL EQUIPMENT: ULTRA SOUND

DATE: 31/03/18

MODEL: EBESS63.

EQUIPMENT ID: SKHmc/Bm/us001

SERIAL NO:

FREQUENCY:

MANUFACTURER:

DEPT/LOCATION:

ultrasound room.

CHECK	REMARKS
-------	---------

- | | |
|------------------------------|--------------------------|
| 1.EXTERNAL VISUAL CHECK | ()..... <i>ok</i> |
| 2.CONTROL AND SWITCHES | ()..... <i>ok</i> |
| 3.EQUIPMENT FUNCTIONAL CHECK | ()..... <i>ok</i> |
| A.MAIN CABLE/SWITCHES/PROBES | ()..... <i>ok</i> |
| B. PRINTER | ()..... <i>ok</i> |
| C.IMAGE CLARITY/VOICE | |
| D.MONITOR /TRACK BALL/KEYPAD | ()..... <i>ok</i> |
| 4. EQUIPMENT PERFORMANCE | |
| A.CLEAR IMAGE | ()..... <i>ok</i> |
| 5. GENERAL CLEANING | |
| PROBES | ()..... <i>ok</i> |
| 6. REMARKS | |

<i>working good.</i>	
----------------------	--

CONDITION

- A.WORKING GOOD CONDITION
- B.WORKING BUT NEED PARTS
- C.FIXED AND TESTED
- D.REPLACE PARTS AND TESTED

- E.CALIBRATION AND TESTED
- F.REQUIRE SOLE AGENT
- G.OBSOLUTE/CONDEMNED
- H.NOT AVAILABLE

CONDUCTED BY(BME IN ENG/TECH)

CONFORMED BY.....(DEPARTMENT/INCHARGE)

APPROVED BY :HOD BIOMEDICAL





SARADA
HOMOEOPATHIC MEDICAL COLLEGE & HOSPITAL
KULASEKHARAM - KANYAKUMARI DISTRICT, TAMILNADU - 629 161
PHONE : 04651- 280 348, Mob No : 8270207173, 9442279754
Website : www.skhmc.org, E-mail : college@skhmc.org

DEPARTMENT OF BIOMEDICAL ENGINEERING

COMPLAINT FORM

EQUIPMENT NAME: Refrigerator	DATE: 2/2/17
EQUIPMENT CODE: SKHMCH/BMD/RF/01	DEPARTMENT: Clinical Lab
COMPANY: Godrej	STAFF INCHARGE NAME: Vasantha
MODEL:	SIGN:

COMPLAINT DETAILS

Refrigerator not cooling

FOR BME ONLY

COMPLAINT NO: 28/17
ATTENDEE NAME & SIGN: Hari Krishnan (Bio medical engineer).
WORK DONE: done.

RETURNED BY: Hari Krishnan
RETURNED ON: 2/2/17.
RECEIVED BY: Vasantha.
RECEIVED ON: 2/2/17.



SKHMCH/BMD/FRM/CF/01



HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM - KANYAKUMARI DISTRICT, TAMILNADU - 629 161
PHONE : 04651- 280 348, Mob No : 8270207173, 9442279754
Website : www.skhmc.org, E-mail : college@skhmc.org

DEPARTMENT OF BIOMEDICAL ENGINEERING
COMPLAINT FORM

EQUIPMENT NAME: <i>Switch</i>	DATE: <i>2/2/17</i>
EQUIPMENT CODE: <i>SKHMC/BMD/ USG/001</i>	DEPARTMENT: <i>USG</i>
COMPANY:	STAFF INCHARGE NAME: <i>Morin Senilcha</i>
MODEL:	SIGN: <i>[Signature]</i>
<u>COMPLAINT DETAILS</u> <i>Scan mechure switch broken</i>	
<u>FOR BME ONLY</u>	
COMPLAINT NO: <i>26/17</i>	
ATTENDEE NAME & SIGN: <i>Harikrishnan (Biomedical Engineer)</i>	
WORK DONE: <i>Switch replaced with new</i>	<i>[Signature]</i>
RETURNED BY: <i>Harikrishnan</i>	RETURNED ON: <i>3/2/17</i>
RECEIVED BY: <i>Morin Senilcha</i>	RECEIVED ON: <i>3/2/17</i>



[Signature]

SKHMCH/BMD/FRM/CF/01



HOMOEOPATHIC MEDICAL COLLEGE & HOSPITAL
KULASEKHARAM - KANYAKUMARI DISTRICT, TAMILNADU - 629 161
PHONE : 04651- 280 348, Mob No : 8270207173, 9442279754
Website : www.skhmc.org, E-mail : college@skhmc.org

DEPARTMENT OF BIOMEDICAL ENGINEERING
COMPLAINT FORM

EQUIPMENT NAME: O ₂ Flow meter	DATE: 2/2/17
EQUIPMENT CODE: SKHMC/H/BMD/ OFM/002	DEPARTMENT: I st Floor
COMPANY:	STAFF INCHARGE NAME: Mahigha
MODEL:	SIGN:

COMPLAINT DETAILS

O₂ Flow meter regulator damage

FOR BME ONLY

COMPLAINT NO: 24/17

ATTENDEE NAME & SIGN: Harikrishnan (Biomedical Engineer)

WORK DONE: done

RETURNED BY: Harikrishnan

RETURNED ON: 2/2/17

RECEIVED BY: Mahigha

RECEIVED ON: 2/2/17




SKHMC/H/BMD/FRM/CF/01



SARADA
HOMOEOPATHIC MEDICAL COLLEGE & HOSPITAL
KULASEKHARAM - KANYAKUMARI DISTRICT, TAMILNADU - 629 161
PHONE : 04651- 280 348, Mob No : 8270207173, 9442279754
Website : www.skhmc.org, E-mail : college@skhmc.org

DEPARTMENT OF BIOMEDICAL ENGINEERING
COMPLAINT FORM

EQUIPMENT NAME: Sterilizer	DATE: 2/2/17
EQUIPMENT CODE: SKHMCH/BMD/SS/001	DEPARTMENT: Dressing Room
COMPANY:	STAFF INCHARGE NAME: Suma
MODEL:	SIGN: <u>Suma</u>
<u>COMPLAINT DETAILS</u> sterilizer machine wire damage	
<u>FOR BME ONLY</u>	
COMPLAINT NO: 29/17	
ATTENDEE NAME & SIGN: Hanikrishnan (Biomedical engineer)	
WORK DONE: done	
RETURNED BY: Hanikrishnan	RETURNED ON: 3/2/17
RECEIVED BY: Suma	RECEIVED ON: 3/2/17



SKHMCH/BMD/FRM/CF/01



DEPARTMENT OF BIOMEDICAL ENGINEERING

DAILY ROUNDS

TIME: 8 AM

DATE: 2/12/17

BIOMEDICAL ENGINEER:

Periyanka

Sl.No	DEPARTMENT	COMPLAINTS	TIME	NAME/SIGN
1.	PALLIUM CLINIC	No Complaint	10 am	V. 2000
2.	ICU	No Complaint	10 am	V. 2000
3.	DIABETIC FOOT LAB	NO complaints	9.30 am	Quay
4.	CLINICAL LAB	Refrigerator	10. A.M	M. Manj
5.	DRESSING ROOM	Sterilizer complaint	12. pm	Vins
6.	X RAY	No Complaint	10:45 am	S
7.	USG	Switch Complaint	9:00 am	S
8.	CASUALITY	NO complaint	10.00 am	S
9.	1 st FLOOR	O ₂ Flowmeter complaint	10 am	Comh
10.	PHYSIOTHERAPY	No Complaint	12.15 pm	S
11.	2 nd FLOOR	No complaint	1.0 pm	S
12.	PEDIATRIC CLINIC	No complaint	8.10 am	S
13.	LABOUR ROOM	No complaint.	8.00 am	S



(Handwritten signature)

SKHMC/BMD/FRM/DR/02



**SARADA KRISHNA HOMOEOPATHIC MEDICAL
COLLEGE & HOSPITAL
DEPARTMENT OF BIOMEDICAL ENGINEERING**

PREVENTIVE MAINTENANCE

MEDICAL EQUIPMENT: CENTRIFUGE

MODEL: C-852.

SERIAL NO: KULL-4328

MANUFACTURER: Remi

DEPT/LOCATION:

clinical lab.

DATE: 29/3/2018.

EQUIPMENT ID: SRHMC/OM/CF002.

FREQUENCY: Every 6 months.

CHECK	REMARK
-------	--------

- | | |
|-----------------------------------|--------------------------|
| 1. EXTERNAL VISUAL CHECK | ()..... <i>OK</i> |
| 2. CONTROL AND SWITCHES/ELECTRIAL | ()..... <i>OK</i> |
| 3. EQUIPMENT FUNCTIONAL CHECK | ()..... <i>OK</i> |
| A. MAIN CABLE/SWITCHES | ()..... <i>OK</i> |
| B. DISPLAY/KEY BOARD | ()..... <i>OK</i> |
| C. RPM SELECTION | ()..... <i>OK</i> |
| 4. EQUIPMENT PERFORMANCE | |
| A. ERROR | ()..... <i>OK</i> |
| 5. GENERAL CLEANING | |

6. REMARKS

looking fine.

CONDITION

- | | |
|-----------------------------|---------------------------|
| A. WORKING GOOD CONDITION | E. CALIBRATION AND TESTED |
| B. WORKING BUT NEED PARTS | F. REQUIRE SOLE AGENT |
| C. FIXED AND TESTED | G. OBSOLUTE/CONDEMNED |
| D. REPLACE PARTS AND TESTED | H. NOT AVAILABLE |

CONDUCTED BY *Hanishnan H.S* (BME IN ENG/TECH)

CONFORMED BY..... (DEPARTMENT/INCHARGE)

APPROVED BY :HOD BIOMEDICAL *[Signature]*



[Signature]



SARADA KRISHNA
HOMOEOPATHIC MEDICAL COLLEGE HOSPITAL
 Kulasekharam, Kanyakumari District, Tamilnadu - 629 161.
 Website : www.skhmc.org. e-mail : college@skhmc.org




WATER STORAGE TANK CLEANING CHECKLIST

Tank Name: PH

Inspection Date: 6/6/2019

Name of Person Filling Out Form: Kesavan Nair (Estate Manager)

Sl. No	Findings	Yes	No	Remarks
	Does the tank appear to be structurally sound?	✓		
	Are there any unprotected openings in the tank (breaches, leaks, daylight coming through tank in spots, etc)		✓	
	Is there blockage in the overflow		✓	
	Any potential to cause contamination of the water		✓	
	Depth of sediment found in the tank before cleaning (inches):	✓		<u>1/2 inches</u>
	How was the storage tank cleaned?			<u>Scrubbed</u>
	How was the storage tank disinfected after cleaning?			<u>Chlorinated</u>
	List any objects found inside the tank during cleaning that may have introduced contamination into the water system (examples: debris, animals, etc):		✓	



Signature of Person Filling Out Form:

Kesavan Nair
6/6/2019
Apur

Principal
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161

+ Hostel No / EN / SITEM / OM.	SL NO	DATE	ROOM NO.	NATURE OF COMPLAINT	SIGN. OF ELECTRICIAN		ASS. T. WARDEN	Hostel No / OM.
					STUDENT	SIGN		
	36	10/5/19	3 rd floor	406 - Light is not working.	Spk	Modh 10/5/19		
	37	11-5-19	2 nd floor (interblock)	Cubboard (D) lock is broken.	SPK	10/5/19		
	38	13/5/19	106 - Ground floor	Bathroom pipe-repair	Ch	modh 13/5/19		
	39	13/5/19	392	Light is not working	Spk	modh 13/5/19		
	40	13/5/19	230	Fan has a Problem	Sukrathnar	Ranish 15/5/19		13-5-19
	41	14-5-19	312	Fan running very slow - case it please	Parada	R.Amud 15/5/19		
	42	14-5-19	312	Bathroom tap running very slow. - No soap box stand	Parada	Ranish 15/5/19		
	43	15/5/19	323	Bathroom Bulb.	Tayath	modh 16/5/19		
	44	17	II nd floor	Sinca tap is Problems	Tayath	modh 16/5/19		
	45	16-5-19	Ground floor	Bathroom tube	Gawni	modh 16/5/19		
	46	17-05-19	1 st floor	Bathroom tap not working		modh 17/5/19		
	46	17-05-19	Ground floor	Door handle Complaint	hy 17/5/19	modh 17/5/19		
	47	18-5-19	1 st floor	Light is not working.	esth	modh 17/5/19		





SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE HOSPITAL

KULASEKHARAM - KANYAKUMARI DISTRICT, TAMILNADU - 629 161
PHONE : 04651- 280 348


Website: www.skhmc.org, E-mail: college@skhmc.org

DAILY CLEANING CHECKLIST

AREA : MESS

MONTH : May

DATE	TIME									MONITORED BY			VERIFIED BY			REMARKS
	I			II			III			NAME	SIGN	TIME	NAME	SIGN	TIME	
	From	To	sign	From	To	sign	From	To	sign							
1/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:30PM	3:00PM	K. Sankar	Ceath	jeck	3:30PM	Siva	jeck	2:30PM	
2/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:30PM	3:15PM	K. Sankar	Ceath	jeck	3:25PM	Siva	jeck	2:30PM	
3/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:00PM	K. Sankar	Ceath	jeck	3:20PM	Siva	jeck	2:30PM	
4/5/19	7:00AM	8:00AM	S. Sreedhar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:50PM	JAYANTHI	Jayanti	2:30PM	
5/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:40PM	Siva	jeck	2:30PM	
6/5/19	7:00AM	8:00AM	S. Sreedhar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:45PM	JAYANTHI	Jayanti	3:20PM	
7/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:40PM	Jayanti	Jayanti	3:25PM	
8/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:50PM	Jayanti	Jayanti	3:20PM	
9/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:50PM	Jayanti	Jayanti	3:20PM	
10/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:25PM	JAYANTHI	Jayanti	3:25PM	
11/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:35PM	SIVA	jeck	3:25PM	
12/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:45PM	JAYANTHI	Jayanti	3:25PM	
13/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:50PM	JAYANTHI	Jayanti	3:25PM	
14/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:50PM	JAYANTHI	Jayanti	3:25PM	
15/5/19	7:00AM	8:00AM	K. Sankar	9:00AM	10:30AM	K. Sankar	2:35PM	3:20PM	K. Sankar	Ceath	jeck	3:50PM	JAYANTHI	Jayanti	3:25PM	



6-5-19

PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161



**SARADA KRISHNA
HOMOEOPATHIC MEDICAL COLLEGE HOSPITAL
KULASEKHARAM - KANYAKUMARI DISTRICT, TAMILNADU - 629161
PHONE : 04651 - 280348**

AREA : SECOND FLOOR

DAILY CLEANING CHECKLIST

Sl no	SITE	DAY AND DATE							CLEANED BY: NAME AND SIGNATURE
		MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY	
		11/03/19	12/03/19	13/03/19	14/03/19	15/03/19	16/03/19	17/03/19	
1	ROOM NO : 301 + TOILET	✓							C.VM
2	ROOM NO : 302 + TOILET	✓							C.VM
3	ROOM NO : 303 + TOILET	✓							C.VM
4	ROOM NO : 304 + TOILET		✓						C.VM
5	ROOM NO : 305 + TOILET		✓						C.VM
6	ROOM NO : 306 + TOILET		✓						C.VM
7	ROOM NO : 307 + TOILET		✓						C.VM
8	READING ROOM	✓	✓	✓	✓	✓	✓	✓	C.VM
9	ROOM NO : 308 + TOILET			✓					C.VM
10	ROOM NO : 309 + TOILET			✓					C.VM
11	READING ROOM	✓	✓	✓	✓	✓	✓	✓	C.VM
	ROOM NO : 310 (INTBK)				✓				C.VM
13	ROOM NO : 311 (INTBK)				✓				C.VM
	ROOM NO : 312 (INTBK)				✓				C.VM
15	ROOM NO : 313 (INTBK)				✓				C.VM
16	ROOM NO : 314 (INTBK)				✓				C.VM
17	ROOM NO : 315 (INTBK)				✓				C.VM
18	ROOM NO : 316 (INTBK)				✓				C.VM
19	ROOM NO : 317 (INTBK)				✓				C.VM
20	ROOM NO : 318 (INTBK)				✓				C.VM
21	ROOM NO : 319	✓							C.VM
22	ROOM NO : 320	✓							C.VM
23	ROOM NO : 321	✓							C.VM
24	ROOM NO : 322 + TOILET	✓							C.VM
25	ROOM NO : 323 + TOILET	✓							C.VM
26	ROOM NO : 324 + TOILET	✓							C.VM
27	ROOM NO : 325 + TOILET	✓							C.VM
28	ROOM NO : 327 (INTBK)					✓			C.VM
29	ROOM NO : 328 (INTBK)					✓			C.VM
30	ROOM NO : 329 (INTBK)					✓			C.VM
31	ROOM NO : 330 (INTBK)					✓			C.VM
32	ROOM NO : 331 + TOILET	✓							C.VM
33	ROOM NO : 332 + TOILET	✓							C.VM
34	ROOM NO : 333 + TOILET	✓							C.VM
35	ROOM NO : 334 + TOILET	✓							C.VM
36	COMMON TOILET 1	✓	✓	✓	✓	✓	✓	✓	C.VM
37	COMMON TOILET 2	✓	✓	✓	✓	✓	✓	✓	C.VM
38	PASSAGE	✓	✓	✓	✓	✓	✓	✓	C.VM
39	STEPS	✓	✓	✓	✓	✓	✓	✓	C.VM
	AUTHORISED BY HOUSEKEEPING INCHARGE NAME:	gath	gath	gath	gath	gath	gath	gath	C.VM
	SIGNATURE								
	TIME	11:00 AM	11:00 AM	11:00 AM	11:00 AM	11:00 AM	11:00 AM	11:00 AM	
	REMARKS								



PRINCIPAL
SARADA KRISHNA HOMOEOPATHIC MEDICAL COLLEGE
KULASEKHARAM, KANYAKUMARI DISTRICT,
TAMIL NADU - 629 161